

Changes to Specifications and Drawings
NNJ07182243R

Request for Proposal (RFP) NNJ07182243R

Task Order, "Building 265 Addition"

Additional Changes to Drawings and Specifications

Note: "Hand write in all changes on the drawings and specifications pages to which they apply".

Changes to Drawings (*Write changes on all drawings*):

12. **M-265-5** – Delete Note 6.

Changes to Specifications (*Write changes in all specifications documents*):

8. **1336** - Insert specification Section 01336, Barchart Scheduling Method (See Attached) into all specification packages. In addition, replace the original Table of Contents, Building 265 Addition, with the revised Table of Contents, Building 265 Addition (See Attached).
9. **5700** - Part 2.10.2 and 3.5.2; delete references to an energy recovery wheel.
10. **15838 and 15855** – Delete Section 15838 and 15855.
11. **15970** – Delete Section 15970.
12. **13931** – Section 13931, Page 23, delete Part 3.2, Underground Piping Installation.
13. **06200** - Finish Carpentry, delete requirements for cabinets or counter tops.
14. **13853** - Section 1.4.2 – Delete the content of 1.4.2 and replace with the following:
“The system for this project shall be Edwards System Technology (EST) EST-3 Signature Series Equipment or approved equal. The contractor shall provide and install all components according to the manufacturer's requirements and shall provide common alarm and trouble connection to the existing IRC-3 panel including additional modules as required in the IRC-3 or EST-3 system to affect the interface. The IRC-3 is remotely monitored and, in turn, the EST-3 through this connection.”
15. **13121** – Part 2.5 Roofing and Siding, Page 9; add the attached Base Offer – Roofing Panel Specification after “Roofing Panels:.” (See Attached)
16. **08120** - Add specification Section 08120. (See Attached)