Disclaimer

This is not an official copy of Fed-Std-595. Color exactness is subject to any number of factors, including your printer settings and ink or your PC color settings, monitor age, and type.

For image viewing, please be sure your Adobe settings are set to have Allow Background Downloading unchecked. IHS recommends using the official hardcopy for specifying or testing colors.

Hardcopy versions and official color chip sets may be purchased from Global Engineering at global.ihs.com or 1-800-854-7179.

Provided by IHS
No reproduction or networking permitted without license from IHS

Licensee=NASA Technical Standards 1/9972545001
Not for Resale, 04/16/2007 09:20:58 MDT

CHANGE NOTICES ARE NOT CUMULATIVE AND SHALL BE RETAINED UNTIL SUCH TIME AS THE ENTIRE STANDARD IS REVISED

Federal Standard No. 595B
December 15, 1989
Change Notice 1
January 11, 1994

FEDERAL STANDARD

COLORS USED IN GOVERNMENT PROCUREMENT

The General Services Adminstration has authorized the use of this Change in Federal standard No. 595B, dated December 15, 1989, for all Federal users.

PAGE 3

S1. Subparagraph 3, Delete paragraph beginning with "The Standard with color samples ..." and replace with the following:

"The Standard with color samples, fan deck, individual color chips, and sets of color chips are for sale by the General Services Administration at the following address:

General Services Administration
Federal Supply Service Bureau
Specification Section
Suite 8100
470 East L'Enfant Plaza, SW
Washington, DC 20407

Phone Number: (202) 755-0325 or 0326".

PAGE 4

S3.2.1 Delete the table and replace with the following table:

First Digit	Finish	Gloss level	
		Min	Max
1	Gloss	80	--
2	Semi-gloss	30	45
3	Flat or lusterless	---	6

--`,,```,,,,`,,,`,,,,`,,,,,,`,`,,`,`,,`,`,,`,,,,`,,,,`,,,`,`,,`,`,,`,---

Provided by IHS
No reproduction or networking permitted without license from IHS
Licensee=NASA Technical Standards 1/9972545001
Not for Resale, 04/16/2007 09:20:58 MDT

PAGE 9

Add in sequence the list of pigments used as follows:

13740	(numbers to be furnished by contractor)
13814	
14664	
15055	
15109	
16076	
16250	
16293	
16329	
16480	
20460	
22473	
25185	
25200	
25440	
25530	
26420	
26480	
30340	
30480	
34350	
35260	
36134	
36480	
36650	

PAGE 20

Table I - Column 2 add color 20460
Column 3 add color 30340 and 30480

30340

20460

30480

Provided by IHS
No reproduction or networking permitted without license from IHS

Licensee=NASA Technical Standards 1/9972545
Not for Resale, 04/16/2007 09:20:58 MDT

PAGE 24

Table III - Column 2 add color 22473

22473

PAGE 28

Table IV - Column 1 add color 13740 and 13814

13740

13814

PAGE 34

Table V - Column 3 add color 34350

34350

PAGE 36

Table V - Column 1 add color 14664

14664

PAGE 37

Table VI - Column 1 add color 15055 and 15109

15055

15109

Provided by IHS
No reproduction or networking permitted without license from IHS
Licensee=NASA Technical Standards 1/9972545001
Not for Resale, 04/16/2007 09:20:58 MDT

PAGE 39

Table VI - Column 2 add color 25185 and 25200

25185

25200

PAGE 40

Table VI - Column 2 add color 25440 and 25530
Column 3 add color 25260

25260

25440

25530

PAGE 41

Table VII - Column 1 add color 16076
Column 3 add color 36134

16076

36134

Provided by IHS
No reproduction or networking permitted without license from IHS
Licensee=NASA Technical Standards 1/9972545001
Not for Resale, 04/16/2007 09:20:58 MDT

PAGE 42

Table VII - Column 1 add color 16250 and 16293

16250

16293

PAGE 43

Table VII - Column 1 add color 16329

16329

PAGE 44

Table VII - Column 1 add color 16480
Column 2 add color 26420 and 26480
Column 3 add color 36480 and 36650

26420

16480

26480

36480

36650

Provided by IHS
No reproduction or networking permitted without license from IHS
Licensee=NASA Technical Standards 1/9972545001
Not for Resale, 04/16/2007 09:20:58 MDT