



**ATTACHMENT Q 22 NASA GIDEP**

---

***Procedures For Exchanging Parts, Materials, and Safety Problem Data Utilizing the Government-Industry Data Exchange Program and NASA Advisories w/Change 1***

The following factors should be considered in this determination:

Type of Procurement - consider the commodity being purchased; generally, hardware/software procurements are more suitable for participation than service contracts.

Acquisition Phase - consider the phase of the program and the utility of the GIDEP and NASA Advisory data to support that phase, generally activities after the conceptual design phase can benefit most from participation.

Dollar Value of Contract - consider the amount of the contract and the benefit to be obtained from participation or the risks of not participating. There is no cost to contractors to participate in GIDEP - There is a cost to review and evaluate information.

Criticality of the Equipment - consider the potential for loss or damage to the equipment or personnel if GIDEP and NAP information is not utilized. While the primary focus of reviewing contracts for participation in GIDEP is to ensure that failure experience data is available and utilized, contractual requirements can be established for use of the other GIDEP data types. The following is a suggested GIDEP/NAP participation Statement of Work requirement for failure experience data. This text may be tailored at the facilities discretion.

"The contractor shall participate in the Government-Industry Data Exchange Program (GIDEP) in accordance with the requirements of the GIDEP Operations Manual (GIDEP S0300-BT-PRO-101) and the GIDEP Requirements Guide (S0300-BU-GYD-010), available from the GIDEP Operations Center, PO Box 8000, Corona, California 91718-8000. The contractor shall review all GIDEP ALERTS, GIDEP SAFE-ALERTS, GIDEP Problem Advisories, GIDEP Agency Action Notices, and NASA Advisories to determine if they affect the contractors products produced for NASA. For GIDEP ALERTS, GIDEP SAFE-ALERTS, GIDEP Problem Advisories, GIDEP Agency Action Notices, and NASA Advisories that are determined to affect the program, the contractor shall take action to



NASA Dryden Flight Research Center

**PROCUREMENT QUALITY REQUIREMENTS**

eliminate or mitigate any negative effect to an acceptable level. The contractor shall generate the appropriate failure experience data report(s) (GIDEP ALERT, GIDEP

SAFE-ALERT, GIDEP Problem Advisory) in accordance with the requirements of GIDEP S0300-BT-PRO-010 and S0300-BU-GYD-010 whenever failed or nonconforming items, available to other buyers, are discovered during the course of the contract."

END OF Q-22

APPROVED:

GARY MAY

Approved Q-22 ( 6-08)