

Specifications Updated 08/16/13

NASA/LARC has a requirement for a tarp cover for the Quonset Hut structure located at the Center's Landing & Impact Research Facility (LandIR) and installation, and that shall meet the minimum following specifications:

Tarp Cover:


- Shall cover existing Quonset Hut structure that stands approx. 30' tall, 72' wide, 100' long (see NASA's Drawing A for reference)
- Shall be white in color, opaque
- Shall be open at each end, i.e. drive-thru type
- Shall have minimum 10-year warranty
- Ends shall have overhang flaps to block diagonal rainfall
- Shall be fastened to existing frame through PVC and belting package (see below pictures for reference)

NOTE: All offers shall include detailed specifications on the fabric material being quoted.

Installation:

- Contractor shall provide all necessary hardware and tools for use in installation.
- Installation shall consist of:
 - Removal of existing tarp cover
 - Installation of new cover on existing framework
 - **NOTE: NASA will assume responsibility for disposal of existing cover**
- Contractor shall provide all lifting devices (such as crane, genie boom, fork lift, and safety harnesses) for use in installation.
- Contractor shall furnish training certifications for vehicle use and safety equipment.
- Contractor's employees shall attend brief NASA training on security and on-site safety procedures.

Please refer to NASA's Drawing A for the dimensions of the Quonset Hut structure, and to the attached photos of the existing cover/structure for reference.



NASA Bldg 1297 - Quonset Hut, Lunar Landing Research Facility
 Drawing A





3 x 3 x .250 1001 TO 1011 2014





