

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT ID CODE PAGE OF PAGES
 1 6

2. AMENDMENT/MODIFICATION NO. 3. EFFECTIVE DATE 4. REQUISITION/PURCHASE REQ. NO. 5. PROJECT NO. (If applicable)
 03 06/23/2014 4200478585
 6. ISSUED BY CODE DA10 7. ADMINISTERED BY (If other than Item 6) CODE

National Aeronautics & Space Administration
 NASA Office of Procurement
 Stennis Space Center, MS 39529-6000

8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code) (X) 9A. AMENDMENT OF SOLICITATION NO.
 (X) NNS14478585R
 9B. DATED (SEE ITEM 11) 05/19/2014
 10A. MODIFICATION OF CONTRACT/ORDER NO.
 10B. DATED (SEE ITEM 13)
 CODE FACILITY CODE

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.
 Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:
 (a) By completing items 8 and 15, and returning 2 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment your desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
<input type="checkbox"/>	
<input type="checkbox"/>	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
<input type="checkbox"/>	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
<input type="checkbox"/>	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return 2 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Pages 2 through 6.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) Marvin L. Horne
15B. CONTRACTOR/OFFEROR (Signature of person authorized to sign)	15C. DATE SIGNED 16B. UNITED STATES OF AMERICA  (Signature of Contracting Officer)
	16C. DATE SIGNED 6-23-14

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) continued:

1. Standard Form 33, block 9 on page 1 is revised as follows:

FROM:

Sealed offers in original and See L.I-13 copies for furnishing the supplies or services in the Schedule will be received at the place specified in item 8, or if hand carried, in the depository located in See L.I-13 until 1500 LT local time 07/11/2014.

TO:

Sealed offers in original and See L.I-13 copies for furnishing the supplies or services in the Schedule will be received at the place specified in item 8, or if hand carried, in the depository located in See L.I-13 until 1500 LT local time 07/22/2014.

2. Provision L.I-13, Proposal Submission Requirements, paragraph (a) on page 6 of 58 of Section is revised as follows:

FROM:

(a) The due date and time for receipt of proposals is as follows:

Table L.I-13.1. Proposal Submission Requirements

Volume	Title	Requested By	Required By Due Date	Local Time
I	Volume I – Mission Suitability Factor	N/A	Block 9 of the SF33	Block 9 of the SF33
II*	Volume II – Past Performance Factor and Organizational Conflict of Interest (OCI) Plan	14 Calendar days prior to date in Block 9 of the SF33	Block 9 of the SF33	Block 9 of the SF33
III	Volume III – Cost/Price Factor	N/A	Block 9 of the SF33	Block 9 of the SF33
IV	Volume IV – Completed Model	N/A	Block 9 of the SF33	Block 9 of the SF33

*Volume II – Past Performance and OCI Plan are requested early, but not officially due until the proposal due date identified in **Block 9 of the SF 33**.

TO:

(a) The due date and time for receipt of proposals is as follows:

Table L.I-13.1. Proposal Submission Requirements

Volume	Title	Requested By	Required By Due Date	Local Time
I	Volume I – Mission Suitability Factor	N/A	Block 9 of the SF33	Block 9 of the SF33
II*	Volume II – Past Performance Factor and Organizational Conflict of Interest (OCI) Plan	June 27, 2014	Block 9 of the SF33	Block 9 of the SF33
III	Volume III – Cost/Price Factor	N/A	Block 9 of the SF33	Block 9 of the SF33
IV	Volume IV – Completed Model	N/A	Block 9 of the SF33	Block 9 of the SF33

*Volume II – Past Performance and OCI Plan are requested early, but not officially due until the proposal due date identified in **Block 9 of the SF 33**.

3. Section L.I-24C Staffing Worksheet is revised as follows:

A. The table is revised as follows:

FROM:

A worksheet that requires staffing details for each contract period (1-8).

TO:

A worksheet that requires staffing details for the base period only.

B. The following language is added under “Instructions”:

If the Offeror's staffing classifications and/or WYE quantity (individual site or total) changes in the additional years, the offerors shall provide the details of the change.

All WYEs in Staffing Worksheet shall match the proposed WYEs in the Cost/Price Proposal.

4. Electronic Pricing Model (EPM) Update

A correction was made to spreadsheet L-1 OneNASA – TCPWST, Row 140, Column C and added PWS 2.2.2 Office furnishings for SSC in forms L-1a, L-4a, L-8a and L-10a.

5. Attachment J-4, Appendix B (CBAs), is revised as follows:

A. FROM:

CBA between Jacobs Technology, Inc., Smith Research Corporation, Erica Lane Enterprises, and CORE on the Stennis Space Center Facility Operating Services Contract and International Association of Machinists and Aerospace Workers, Local No. 2249, AFL-CIO, effective June 9, 2011, through June 8, 2014.

TO:

CBA between Jacobs Technology, Inc., Smith Research Corporation, Erica Lane Enterprises, and CORE on the Stennis Space Center Facility Operating Services Contract and International Association of Machinists and Aerospace Workers, Local No. 2249, AFL-CIO, effective June 9, 2014, through June 8, 2017.

B. In lieu of one file, J-4, Appendix B (CBAs) is restructured as follows:

- 1) Attachment J-4, Appendix B, File 1 (no change since Amendment 1)
(GHG and International Association of Machinists and Aerospace Workers, Local No. 2249, AFL-CIO)
- 2) Attachment J-4, Appendix B, File 2 (no change since Amendment 1)
(Lockheed Martin and Global Services and International Association of Machinists and Aerospace Workers, AFL-CIO and its Local Lodge 2249)
- 3) Attachment J-4, Appendix B, File 3 (Amendment 3)
(Jacobs Technology, Inc., Smith Research Corporation, Erica Lane Enterprises, CORE, and International Association of Machinists and Aerospace Workers, Local No. 2249, AFL-CIO)
- 4) Attachment J-4, Appendix B, File 4 (no change from RFP Release)
(Jacobs Technology, Inc., and Sierra Lobo, Inc., and UAW Local 1921)
- 5) Attachment J-4, Appendix B, File 5 (no change from RFP Release)
(Porter Industries Environmental Services, Inc., and UAW Local 1921)
- 6) Attachment J-4, Appendix B, File 6 (no change from RFP Release)
(Advance Business Solutions and UAW Local 1921)

All page numbering has been removed with the exception of the document's original page numbering.

6. Attachment J-10, Reference Library is revised as follows:

The following additional documents or revisions are added:

- A. MSFC Technical Standard, Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention is added to folder titled, "SACOM-3.0"
 - B. Marshall Policy Directive, Foreign Object Damage/Foreign Object Debris Prevention Operations *With Change 1 (9/27/13)* is added to folder titled, "SACOM-3.0"
 - C. Reference Library Index is updated to folder titled, "GO_HERE_SECOND"
7. Performance Work Statement (PWS), section 5.2 Custodial Service, on page 150 of 230 of Section is revised as follows:

FROM:

Exterior Window Cleaning	Clean Exterior Windows of all Buildings	Every three (3) years	No additional performance standards.
Provide Cleaning for Special Events	On occasion, provide general custodial services to support special events to include, but not be limited to, sweeping, mopping, and trash removal.	Eight (8)/year	No additional performance standards.

TO:

Exterior Window Cleaning	Clean Exterior Windows of all Buildings	Every three (3) years MAF 43,000 sq ft SSC 105,000 sq ft	No additional performance standards.
Provide Cleaning for Special Events	On occasion, provide general custodial services to support special events to include, but not be limited to, sweeping, mopping, and trash removal.	Eight (8)/year to include 3 – 625 sq ft 4 – 2,500 sq ft 1 – 10,000 sq ft	No additional performance standards.

8. Performance Work Statement (PWS), section 5.7.2 Energy Management and Water Conservation, on page 177 of 230 of Section is revised as follows:

FROM:

- 13. **SSC Only:** Maintain and utilize the Stennis Energy Allocation System (SEAS) to provide utility cost allocation reporting in accordance with DRD MF06-5.7 and DRD MF07-5.7. Costs shall be adjusted as necessary to account for the usage of alternate energy sources. Specifically, when meters are installed in a system such that they record usage regardless of the source (i.e., even when disconnected from utility and connected to an alternate power source) data shall be properly adjusted

to insure the accuracy of billing. (e.g., when one or more facilities are being powered by an emergency generator, the Contractor shall ensure the meters used for utility billing is either not recording such events or that the meter readings are properly adjusted to account for such).

TO:

13. **SSC Only:** Maintain and utilize the Stennis Energy Allocation System (SEAS) to provide utility cost allocation reporting in accordance with DRD MF05-5.7 and DRD MF06-5.7. Costs shall be adjusted as necessary to account for the usage of alternate energy sources. Specifically, when meters are installed in a system such that they record usage regardless of the source (i.e., even when disconnected from utility and connected to an alternate power source) data shall be properly adjusted to insure the accuracy of billing. (e.g., when one or more facilities are being powered by an emergency generator, the Contractor shall ensure the meters used for utility billing is either not recording such events or that the meter readings are properly adjusted to account for such).
9. DRD FA03-4.1 has been renumbered to DRD FA03-4.4
10. Attached are Change Sheets (replacement pages) that identifies the changes and the amendment number.
11. Questions and Answers dated June 23, 2014 are attached.
12. All other terms and conditions remain unchanged.

accordance with FAR Clause 52.215-1, Instructions to Offerors—Competitive Acquisitions, a different (longer) validity period may be proposed.

(End of Provision)

L.I-11. SECURITY REQUIREMENTS

The Offeror must possess, or acquire prior to contract start, the security requirements specified in the Contract Security Classification Specification (DD Form 254, Attachment J-6), attached to this solicitation.

(End of Provision)

L.I-12. MAJOR SUBCONTRACTOR (Excludes Cost/Price Definition of Major Subcontractor)

For the proposal preparation purposes for Mission Suitability and Past Performance, “major subcontractor” is defined as subcontracts that exceed \$45,000,000 over the entire contract performance period, including IDIQ and option periods. For Cost/Price, a major subcontractor is defined at L.II-7.

(End of provision)

L.I-13. PROPOSAL SUBMISSION REQUIREMENTS

(a) The due date and time for receipt of proposals is as follows:

Table L.I-13.1. Proposal Submission Requirements

Volume	Title	Requested By	Required By Due Date	Local Time
I	Volume I – Mission Suitability Factor	N/A	Block 9 of the SF33	Block 9 of the SF33
II*	Volume II – Past Performance Factor and Organizational Conflict of Interest (OCI) Plan	June 27, 2014	Block 9 of the SF33	Block 9 of the SF33
III	Volume III – Cost/Price Factor	N/A	Block 9 of the SF33	Block 9 of the SF33
IV	Volume IV – Completed Model	N/A	Block 9 of the SF33	Block 9 of the SF33

*Volume II - Past Performance and OCI Plan are requested early, but not officially due until the proposal due date identified in **Block 9 of the SF 33**.

(b) If any volume is received after the date and time shown in **Block 9 of the SF 33**, the entire proposal shall be handled in accordance with provision FAR 52.215-1, Instruction to Offerors—Competitive Acquisitions.

NNS14478585R, PWS

PWS TITLE	REQUIREMENTS	ESTIMATED WORKLOAD DATA	PERFORMANCE STANDARD
	<p>frames</p> <p>Cleaning of restrooms, office areas, etc., housed within the Cafeteria shall comply with the requirements of such as identified elsewhere in this section of the PWS (5.2).</p>		
<p>Clean Areas in Industrial Facilities / Areas</p>	<ul style="list-style-type: none"> a. Address spillage or unsafe conditions b. Remove debris c. Dust mop sealed concrete and tiled floors (common use areas only) d. Empty trash containers and replace torn or soiled liners (excludes containers for industrial and hazardous waste) e. Wet mop concrete and tiled floors (common use areas only) f. Wet mop epoxy coated floors (common use areas only) g. Seal concrete floors (common use areas only) h. Strip, scrub, and reseal tiled floors (common use areas only) i. Clean, disinfect, and polish drinking fountains <p>Cleaning of entrance ways, lobbies, stairwells, elevators, break rooms, meeting areas, restrooms, office areas, etc., housed within industrial areas shall comply with the requirements of such as identified elsewhere in this section of the PWS (5.2).</p>	<ul style="list-style-type: none"> a. As needed b. As needed c. 2W d. 5W e. W f. 2W g. A h. A i. 5W 	<p>No additional performance standards.</p>
<p>Exterior Window Cleaning</p>	<p>Clean Exterior Windows of all Buildings</p>	<p>Every three (3) years MAF: 43,000 sqft SSC 105,000 sqft</p>	<p>No additional performance standards.</p>
<p>Provide Cleaning for Special Events</p>	<p>On occasion, provide general custodial services to support special events to include, but not be limited to, sweeping, mopping, and trash removal.</p>	<p>Eight (8)/year to includes 3 – 625 sqft 4- 2,500 sqft 1 – 10,000 sqft</p>	<p>No additional performance standards.</p>
<p>Recyclables</p>	<p>Empty recycle containers as necessary to ensure compliance with the recycle</p>	<p>MAF: 100 recycling</p>	<p>No overflow of recycling containers.</p>

NNS14478585R, PWS

8. Support energy and water conservation meetings and projects (i.e., Design reviews, Sustainability Teams, Energy Efficiency & Water conservation Teams, etc.).
9. Conduct building and area energy and water conservation audits in accordance with DRD GA07-5.7.
10. Support external audits.
11. Provide energy consumption data in accordance with DRD GA08-5.7.
12. Validate utility invoices.
13. **SSC Only:** Maintain and utilize the Stennis Energy Allocation System (SEAS) to provide utility cost allocation reporting in accordance with DRD MF05-5.7 and DRD MF06-5.7. Costs shall be adjusted as necessary to account for the usage of alternate energy sources. Specifically, when meters are installed in a system such that they record usage regardless of the source (i.e., even when disconnected from utility and connected to an alternate power source) data shall be properly adjusted to insure the accuracy of billing. (e.g., when one or more facilities are being powered by an emergency generator, the Contractor shall ensure the meters used for utility billing is either not recording such events or that the meter readings are properly adjusted to account for such).

PWS TITLE	REQUIREMENTS	ESTIMATED WORKLOAD DATA	PERFORMANCE STANDARD
5.7.2 Energy Management and Water Conservation			
Program Plan	The Contractor shall provide and implement an <i>Energy Management and Water Conservation Program Plan</i> that will meet current Agency and Federal energy/water conservation policies & regulations. (DRD GA06-5.7, <i>Monthly Energy Consumption Records</i>)	Initial plan after contract award and annual updates	Initial plan to be submitted within sixty (60) calendar days of the contract start date. The NASA approved plan shall be updated annually and due on October 1 st .
Create and Maintain Energy Records	Create and maintain records on project proposals/developments, white papers, energy savings estimates, and onsite conservation project savings status/metrics.	Various submissions – SSC:22 MAF:12	Records shall be maintained in accordance with Section 1.1.2 of the PWS.
Support NASA Energy Manager	Contractor shall support the NASA Energy Manager in providing information and data upon request to include periodic (planned & ad hoc) Center, Agency, & Federal Data calls.	SSC: 11 Request MAF:11 Request	Contractor shall provide response within suspense time stated on action request. Range is from one (1) week to forty-eight (48) hours.



National Aeronautics and
Space Administration
John C. Stennis Space Center
Stennis Space Center, MS 39529-6000

Data Requirement (DR)

Data Procurement Document

1. Number Issue

Amendment 3

2. Title:
Construction Support Quality Plan; Reports / Charts

3. DR Number Page Date Rev.

FA03-4.4 Page 1 of 2

SUBMITTAL REQUIREMENTS

4. Type:

1

5. Frequency of Submission:

OT Construction Support Quality Plan
MO, QU Reports/Charts

6. Distribution:

RA10, EA00, TA00, PA00
AS60, QA00

7. Initial Submission:

Submit for concurrence within 30 days after contract start date

8. As of Date:

10th of each month and each
quarter

DATA REQUIREMENT DESCRIPTION (DRD)

9. Use:

This plan will be used to help monitor contractor performance against agreed-to plan. Reports and charts will be used to monitor the execution of construction, facility modifications, site improvement, and demolition projects. The weekly and monthly data is presented to the NASA Design and Construction Project Management. The quarterly data is presented to NASA Center Operations Management.

10. Reference:

PWS Section 4.0
SCWI-8810-0001

11. Preparation Information:

1. The Construction Support Quality Plan shall address the elements in Section 4.0 of this Contract, the requirements found in SCWI-8810-0001 and shall include, but not be limited to the following:
 - a. General policy statement defining overall objectives and roles/responsibilities
 - b. How direct communication with NASA Facility Project Managers (FPM) will be managed throughout the project phases listed below.
 - c. Construction support activities will vary based on a NASA or SACOM construction procurement. The plan shall include methodology on how SACOM contractor will support construction activities for both NASA and SACOM contracted construction activities in the following phases of the construction project:
 - (1) Pre-solicitation Phase (SIES worksheet/estimate, assignment of configuration coordinator, quality check of design package, preparation of statement of work, project specific construction monitoring plan, etc.)
 - (2) Solicitation Phase (Pre-bid conference, amendments, GFE status, etc.)
 - (3) Award Phase (Bid summary, technical evaluation, post-award conference, etc.)
 - (4) Construction Phase (Process contractor submittals, enforce plans and specifications or advise NASA FPM on non-compliance issues, process RFI and FCR requests and maintain configuration management per SOI-8040-0001-FACENG, issue dig permits and locate underground utilities per SSTD-8070-0119-MISC, etc.)
 - (5) Closeout Phase (Ensure completion of commissioning, complete all activities required and issue Certificate of Completion per SSTD-8070-0009-CONFIG, lessons learned tracking, warranty transfer, etc.)
 - d. Format: Electronic File (report format) compatible with Microsoft Office Suite



National Aeronautics and
Space Administration
John C. Stennis Space Center
Stennis Space Center, MS 39529-6000

Data Requirement (DR) Continuation Sheet

Data Procurement Document

1. Number Issue

Amendment 3

2. Title:

Construction Support Quality Plan; Reports / Charts

3. DR Number Page Date Rev.

FA03-4.4 Page 2 of 2

DATA REQUIREMENT DESCRIPTION - CONTINUATION

11. Preparation Information:

2. Monthly reports/charts, including trends, for select projects and all projects over \$50,000
 - a. Summary slide in table format showing Project Name, NASA FPM, SPE, percent complete and color coded schedule and cost indicator determined by Schedule Performance Index (SPI) and Cost Performance Index (CPI)
 - b. Individual project charts showing Project Name, NASA FPM, SPE, percent complete and color coded schedule and cost indicator determined by SPI and CPI, task order number with approved funding amount, table of project milestones, status, issues & concerns, accomplishments previous month & plans for coming month
 - c. List of revisions with scope, cost and schedule change provided
 - d. Time based graph showing monthly project planned value, earned value, cumulative disbursements, SPI & CPI
 - e. Statistics showing quantity of daily job-site inspections performed and quantity of daily job-site inspections required.
 - f. Statistics showing quantity of daily construction logs and quantity of daily construction logs required. Electronic files with daily construction logs shall be available to the government, stored on approved file server.
 - g. Statistics showing quantity and cause of underground utility strikes (required for all projects)
3. Quarterly reports/charts
 - a. Highlights of accomplishments and focus areas for the quarter.
 - b. List of construction, facility modifications, site improvement, and demolition projects in work with status update for each identified project (similar to monthly reports/charts) and progress pictures per project
 - c. Summary of project issues and concerns



National Aeronautics and
Space Administration

**MEASUREMENT
SYSTEM
NOT APPLICABLE**

MSFC-STD-3598
BASELINE

EFFECTIVE DATE: August 11, 2010

George C. Marshall Space Flight Center
Marshall Space Flight Center, Alabama 35812

EM50

MSFC TECHNICAL STANDARD

**STANDARD FOR FOREIGN
OBJECT DAMAGE/FOREIGN
OBJECT DEBRIS (FOD)
PREVENTION**

Approved for Public Release; Distribution is Unlimited

CHECK THE MASTER LIST at <https://repository.msfc.nasa.gov/directives.htm>
VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE

(Amendment 3)

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 2 of 57

DOCUMENT HISTORY LOG

Status (Baseline/ Revision/ Canceled)	Document Revision	Effective Date	Description
Baseline		08/11 2010	Initial Release

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 3 of 57

FOREWORD

This standard sets forth the requirements and standard practices for Foreign Object Damage/Foreign Object Debris (FOD) Prevention for Marshall Space Flight Center (MSFC) and the Michoud Assembly Facility (MAF). This document establishes a standard to prevent foreign object damage and impact damage to products and hardware being designed, developed, manufactured, assembled, tested, operated, repaired, modified, refurbished, and maintained for MSFC.

Most FOD can be attributed to poor housekeeping, facilities deterioration, improper maintenance, careless assembly, or inadequate operational practices. An effective FOD prevention program identifies potential problems, corrects negative factors, promotes awareness, provides for effective employee training, and uses "lessons learned" for continual improvement.

The objective of this FOD prevention standard is to prevent (1) damage to critical program items, including but not limited to unique tooling, test hardware, ground support equipment, and flight hardware; (2) injury to the flight crew by FOD entrapped within manned flight articles; and (3) damage from FOD to other National Aeronautics and Space Administration (NASA) assets.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 4 of 57

TABLE OF CONTENTS

<u>PARAGRAPH</u>	<u>PAGE</u>
DOCUMENT HISTORY LOG	2
FOREWORD	3
1. SCOPE	9
1.1 Scope.....	9
1.2 Authority.....	9
1.3 Responsibility.....	9
1.4 Exclusions.....	10
1.5 Relationship to Contamination Control.....	10
2. DOCUMENTS	10
2.1 Applicable Documents.....	10
2.2 Reference Documents.....	11
2.3 MSFC FOD Training Courses.....	11
3. DEFINITIONS.....	11
3.1 Acronyms.....	11
3.2 Glossary of Terms.....	12
4. GENERAL REQUIREMENTS.....	16
4.1 Criteria for FOD Sensitive Hardware.....	16
4.1.1 Hardware Susceptible to Entrapment.....	16

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 5 of 57

4.1.2	Hardware Susceptible to Impact Damage.....	17
4.1.3	Hardware Susceptible to Leaks and Spills.....	17
4.1.4	Protection of FOD Sensitive Hardware.....	17
4.2	Project FOD Control Program Elements.....	17
4.2.1	Limitation of FOD Control Program Elements.....	18
4.3	MSFC FOD Focal Point.....	18
4.3.1	Tasks of the MSFC FOD Focal Point.....	18
5.	DETAILED REQUIREMENTS.....	19
5.1	Project FOD Focal Point.....	19
5.1.1	Tasks of the Project FOD Focal Point.....	19
5.2	Identification and Protection of FOD Sensitive Hardware.....	20
5.3	Design Consideration for FOD Prevention.....	20
5.4	Operations Planning and Sequencing.....	21
5.4.1	Planning and Sequencing to Preclude FOD.....	21
5.4.2	Containment and Removal of FOD.....	21
5.4.3	Work Instructions.....	21
5.5	Designation and Control of FOD Sensitive Areas.....	22
5.5.1	FOD Control Area Agreement.....	23
5.5.2	Access Controls.....	23
5.5.3	Activation, Suspension, and Termination of FOD Sensitive Areas.....	25
5.5.4	FOD Awareness Area Operations.....	27
5.5.5	FOD Control Area Operations.....	28

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 6 of 57

5.5.6	FOD Critical Zone Operations.....	29
5.5.7	FOD Control Signage.....	29
5.5.8	FOD Monitors.....	32
5.6	Housekeeping.....	33
5.7	Personal Item Control.....	34
5.7.1	Storage of Personal Items.....	34
5.7.2	Badges.....	35
5.7.3	Jewelry.....	35
5.7.4	Medical Devices and Personal Protective Equipment.....	35
5.7.5	Clothing Accessories.....	36
5.7.6	Pockets.....	36
5.7.7	Shoes.....	36
5.7.8	Clean Work Area Apparel.....	36
5.8	Control of Tools, Small Parts, and Shop Consumables.....	37
5.8.1	Tethers.....	37
5.8.2	Accountability Methods for Tools, Small Parts, and Consumables.....	37
5.8.3	Quality Assurance Stamps, Chits, and Pens.....	38
5.8.4	Control of Small Parts and Shop Consumables.....	39
5.9	Control of Hazardous Material.....	40
5.9.1	Control of Chemicals and Process Fluids.....	40
5.9.2	Light Bulbs and Inspection Lamps.....	40
5.10	Handling and Packaging of FOD Sensitive Hardware.....	40

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 7 of 57

5.10.1	Lifting, Handling, and Transportation of FOD Sensitive Hardware.....	40
5.10.2	Part Protection and Packaging.....	41
5.11	FOD Awareness and Prevention Training	42
5.11.1	General FOD Training Content.....	42
5.11.2	FOD Awareness Training.....	42
5.11.3	FOD Prevention Training.....	43
5.11.4	FOD Monitor Training.....	43
5.11.5	FOD Critical Zone Training.....	44
5.11.6	Training Records.....	44
5.12	Measuring and Improving Performance.....	45
5.12.1	Project FOD Metrics.....	45
5.12.2	FOD Measurement, Trending, and Feedback.....	45
5.12.3	Incident Investigation, Reporting, and Lessons Learned.....	46
5.12.4	Employee Awareness and Feedback.....	50
6.	NOTES.....	51
6.1	Quick Reference Guide to FOD Sensitive Area Work Rules.....	51
APPENDIX A – FOD AREA AGREEMENT TEMPLATE		52
APPENDIX B – RECOMMENDED CHECKLISTS.....		53
APPENDIX C – FOREIGN OBJECT DEBRIS (FOD) INCIDENT REPORT.....		56
APPENDIX D – LOST TOOL/ITEM REPORT		57

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 8 of 57

LIST OF FIGURES

<u>FIGURE</u>	<u>PAGE</u>
Figure 1. No FOD Logo.....	30
Figure 2. FOD Awareness Area Logo	31
Figure 3. FOD Control Area Logo.....	31
Figure 4. FOD Critical Zone Logo	32
Figure 5. Sample Template for a FOD Sensitive Area Agreement	52

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 9 of 57

1. SCOPE

1.1 Scope.

This standard establishes general practices and standard terms for the prevention of Foreign Object Damage (FOD) to Marshall Space Flight Center (MSFC) products, which include flight hardware and associated test hardware, facilities, Ground Support Equipment (GSE), and related components for MSFC-managed projects/programs.

1.2 Authority.

This standard is prepared by MSFC for its internal use and that of contractors. This document is derived from National Aerospace Standard NAS-412, Foreign Object Damage/Foreign Debris (FOD) Prevention, as required by NASA-STD-6016, Standard Manned Spacecraft Requirements for Materials and Processes. NASA-STD-6016 requires that a FOD prevention program be established for all ground operations of mechanical and electrical systems of flight hardware, including the design, development, manufacturing, assembly, repair, processing, testing, maintenance, operation, and check out of the equipment to ensure the highest practical level of cleanliness. This document also addresses the protection of hardware identified as susceptible to impact damage that requires an Impact Damage Protection Plan to mitigate risk in accordance with MSFC-RQMT-3479, Fracture Control Requirements for Composite and Bonded Vehicle and Payload Structures.

1.3 Responsibility.

The Marshall Space Flight Center is responsible for implementing this standard in accordance with Marshall Interim Directive MID 5340.1, Foreign Object Damage/Foreign Object Debris (FOD) Prevention Operations.

1.3.1. The Manager of each Project Office that designs, tests, or manufactures FOD sensitive hardware shall be responsible for implementing the requirements of this standard.

1.3.2. The Manager of a manufacturing or test facility, designated as FOD sensitive even when no Project hardware is present, shall be responsible for implementing the requirements of this standard for that area.

1.3.3. An MSFC FOD Focal Point, designated within the Materials & Processes (M&P) Laboratory (EM01), Environmental Effects Branch (EM50), in accordance with MID 5340.1, shall be responsible for the coordination of FOD prevention measures at MSFC.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 10 of 57

1.4 Exclusions.

This FOD Prevention Program is not intended to protect personnel from injury, although a FOD-free workplace is often a safer workplace. FOD incidents or near-misses that result in, or could have resulted in, injury to personnel must be reported as a close call in accordance with MWI 8621.1, Mishap and Close Call Reporting and Investigation Program, in addition to being reported to the Project FOD Focal Point. FOD concerns may also be reported via the Safety Concerns Reporting System (SCRS) in accordance with MWI 8715.13, Safety Concerns Reporting System (SCRS).

1.5 Relationship to Contamination Control.

FOD control and contamination control are closely related and are addressed within the same Data Requirement Description (DRD) within NASA-STD-6016. While some cleanrooms and clean work areas will be also designated as FOD Sensitive Areas, not all FOD Sensitive Areas require specialized environmental controls. MSFC-STD-246, Standard Design and Operational Criteria for Controlled Environmental Areas, establishes requirements for cleanrooms and clean work areas at MSFC. While the objective of a contamination control program is to control contamination to within acceptable, established limits, the objective of a FOD prevention program is to prevent FOD. In a FOD prevention program, the acceptable limit for FOD is always zero.

2. DOCUMENTS

The documents listed below provide requirements, specifications, standards, and procedures applicable to this standard to the extent specified herein. For each of these documents, the latest revision in effect at the time of document approval shall apply.

2.1 Applicable Documents.

MID 5340.1	Foreign Object Damage/Foreign Object Debris (FOD) Prevention Operations
MSFC-RQMT-3479	Fracture Control Requirements for Composite and Bonded Vehicle and Payload Structures
MWI 6410.1	Packaging, Handling, and Moving Program Critical Hardware
MWI 6430.1	Lifting Equipment and Operations
MWI 8730.2	Temporarily Installed Hardware Control
NAS-412	Foreign Object Damage/Foreign Debris (FOD) Prevention

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 11 of 57

- NASA-STD-5019 Fracture Control Requirements for Spaceflight Hardware
- NASA-STD-6016 Standard Materials and Processes Requirements for Spacecraft
- NASA-STD-8719.9 Standard for Lifting Devices and Equipment

2.2 Reference Documents.

- MSFC-STD-246 Standard Design and Operational Criteria for Controlled Environmental Areas
- MGM 1280.1 Guidance for Continual Improvement
- MPR 1040.3 MSFC Emergency Plan
- MPR 8730.3 Control of Nonconforming Product
- MWI 8621.1 Mishap and Close Call Reporting and Investigation Program
- MWI 8715.13 Safety Concerns Reporting System (SCRS)

2.3 MSFC FOD Training Courses.

- SHE 415 Foreign Object Debris Awareness Training
- SHE 416 Foreign Object Debris Prevention Training
- SHE 417 Foreign Object Debris Monitor Training
- SHE 418 Foreign Object Debris Critical Zone Training

3. DEFINITIONS

3.1 Acronyms.

The acronyms used in this standard are defined as follows:

- CWA Clean Work Area
- DR Discrepancy Record
- DRD Data Requirement Description

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 12 of 57

DTA	Damage Threat Assessment
FOD	Foreign Object Debris/Foreign Object Damage
GSE	Ground Support Equipment
IDS	Impact Damage Susceptible
M&P	Materials and Processes
MAF	Michoud Assembly Facility
MID	Marshall Interim Directive
MPR	Marshall Procedural Requirements
MSFC	Marshall Space Flight Center
MWI	Marshall Work Instruction
NAS	National Aerospace Standard
NASA	National Aeronautics and Space Administration
O&M	Operations and Maintenance
QA	Quality Assurance
SATERN	System for Administration, Training, and Education Resources for NASA
SCRS	Safety Concerns Reporting System
SHA	Safety Hazard Analysis
SHE	Safety, Health, and Environmental

3.2 Glossary of Terms.

3.2.1 Clean-As-You-Go: An operations approach in which the area is cleaned after each planned operation and before the end of each work shift; established to remove unnecessary items and to prevent process-generated debris from becoming FOD. Required steps, in accordance with NAS 412, include:

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 13 of 57

- Clean the immediate area when work cannot continue.
- Clean the immediate area when work debris has the potential to migrate to an out-of-sight or inaccessible area and cause damage and/or give the appearance of poor workmanship.
- Clean the immediate area after work is completed and before inspection.
- Clean at the end of each shift.
- If you drop an item or hear something drop, pick it up!

3.2.2 Consumables: Materials, supplies, equipment, or tools that are considered to be, or have the potential to be, expendable or used up during performance of a task. Examples include but are not limited to:

- Issued apparel.
- Safety glasses.
- Glues, paints, sealants, solvents, tape, room-temperature vulcanized products.
- Sandpaper, brushes, scrapers, applicators, rags, wipes.
- Stock items such as rivets, washers, fasteners, cable ties, and other hardware.

3.2.3 Contamination: Unwanted material that may adversely affect component or system performance. Acceptable contamination limits are specified on engineering drawings. FOD is a form of large-scale contamination, not specified on the engineering drawing, for which the acceptable limit is zero.

3.2.4 Flight Hardware: Program hardware controlled by engineering drawings that will become a part of a vehicle or system delivered for integration and launch or for qualification or acceptance test of a flight article. Critical development test articles may be treated as flight hardware where FOD may degrade the test article's required safety or performance characteristics.

3.2.5 FOD Awareness Area: An area where FOD sensitive hardware is in place or in transit but there is a low potential for FOD entrapment, FOD migration, or impact damage from foreign objects. This designation may also be used to establish a buffer zone to minimize the risk of FOD migration to an adjacent FOD Control Area or FOD Critical Zone.

3.2.6 FOD Control Area: An area where FOD sensitive hardware is in place and there is a high potential for FOD entrapment or migration to the hardware or for FOD-caused impact damage.

3.2.7 FOD Control Program: A documented program or process used to assure a FOD-free product and to minimize program economic impacts related to FOD incidents. May also be referred to as a FOD Prevention Program.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 14 of 57

3.2.8 FOD Critical Zone: A region, generally within a FOD Control Area, that is at the highest risk for potential FOD incidents. Exposure to foreign objects within this area would potentially cause a system or product failure due to deterioration, malfunction, or damage.

3.2.9 FOD Incident: Any occasion when a foreign object, liquid, or stain is detected on or in FOD sensitive hardware, whether or not it has caused damage. All FOD incidents require recording and investigation. Stains that are exempted by drawing or surface treatment process document are not considered FOD.

3.2.10 FOD Measurement, Trending, and Feedback System: A computer-based system designed for the recording and tracking of FOD incidents and the results of FOD walk downs for the purpose of providing feedback and continual improvement.

3.2.11 FOD Monitor: An individual in the operational processing area who is designated to promote FOD awareness, check for potential FOD hazards, work with the proper personnel/management to correct discrepancies, and lead the performance of FOD walk downs to make observations of the specified areas concerning FOD.

3.2.12 FOD Sensitive Area: A facility where FOD sensitive hardware is in place or in transit and specified FOD prevention methods are applied. This term includes the following classifications: FOD Awareness Area, FOD Control Area, and FOD Critical Zone.

3.2.13 FOD Sensitive Hardware: An item of equipment or a part of flight hardware that is considered mission essential and may be susceptible to entrapment of foreign objects, damage from foreign object impact, or damage from leaks and spills. Development test hardware, GSE, special test equipment, fixtures, tooling, and jigs may also be identified as FOD sensitive hardware where FOD may degrade the asset's required safety or performance characteristics or may create a migration path for FOD entry to flight hardware. This designation includes Impact Damage Susceptible (IDS) items.

3.2.14 Foreign Object Debris: A substance, debris, or article alien to a vehicle that would potentially cause damage. Examples include metal shavings, wire clippings, construction debris, dropped tools or fasteners, oil drips, and water spills. Flight piece parts can be FOD if they are dropped or lost in flight hardware where they do not belong.

3.2.15 Foreign Object Damage: Any damage attributed to a foreign object that can be expressed in physical or economic terms; this may or may not degrade the product's required safety and/or performance characteristics.

3.2.16 Housekeeping: The responsibility of employees to maintain a clean and orderly work area, with necessary tools, materials, and equipment in their places of orderly arrangement.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 15 of 57

3.2.17 Impact Damage: The injury or harm inflicted by impingement of another object, such as a dropped tool, hail, or runway debris, upon the hardware in question; or by bumping or striking between the hardware in question and another object such as a support cradle or building during handling or lifting.

3.2.18 Impact Damage Susceptible: Any item determined to be susceptible to impact damage that may degrade the product's required safety and/or performance characteristics. Items are determined to be IDS by a Damage Threat Assessment (DTA) in accordance with MSFC-RQMT-3479. Composite and bonded primary structures are IDS items unless a DTA shows otherwise. A Project may also identify metallic structures that are Impact Damage Susceptible.

3.2.19 Near Miss: An occurrence within a FOD Sensitive Area where a FOD incident would have occurred had the event remained undetected or where an item is dropped from a height or spilled within a FOD Sensitive Area but misses contacting FOD sensitive hardware. Some, but not all, FOD near miss incidents will meet the criteria for reporting as a Close Call in accordance with MWI 8621.1.

3.2.20 Operational Processing Area: A site where flight hardware is present or flight hardware processing activities are taking place and specific work rules are enforced.

3.2.21 Potential FOD: The condition where foreign object debris may cause damage and/or failure should the product be put into use. Examples are:

- Metal or wire clippings, solder balls and debris lying in the vicinity of flight hardware.
- Tools, equipment, hardware, personal items, or debris left in the vicinity or on stands, lifts, ladders, cranes, and other overhead structures or locations that could fall or be dropped onto hardware.
- Debris lying on roads, ramps, and throughways used to transport flight hardware.
- Drips or leaks from overhead structures or utilities.
- Inclement weather.
- Ice and salt.
- Birds and other animals.
- Construction debris.

3.2.22 Shadowbox/Shadowboard: A tool box or storage board with specific, marked locations for each tool so that a missing tool will be readily noticeable.

3.2.23 Site Manager: For the purposes of this document, an individual who has primary responsibility for Project hardware processing tasks in a designated operational processing area.

3.2.24 Sponge Count: A procedure wherein every item to be brought into an area is counted and logged before entry and then counted again upon exit, such that every item is accounted for.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 16 of 57

The term “sponge count” is based on the use of this practice during surgical procedures in a hospital setting.

3.2.25 **“Stumble On”**: For the purposes of this document, FOD, not under the control of an individual performing a specific task, which is found at any time other than during a scheduled FOD walk down.

3.2.26 **Tether**: A lanyard of sufficient strength attached to a tool or equipment and to the user or fixed secure object to prevent the item from dropping.

3.2.27 **Tote Tray**: A device for storing/carrying/transporting tools or equipment in a secure manner to prevent inadvertent droppings, i.e., a tool holder, an apron with pocket rings to which tools can be secured. Tote trays with lids will have the lid secured to the tote tray body.

3.2.28 **Walk down**: Physical inspection, by visual sweep, of an assigned area, zone, or operational processing area for FOD and documentation of the resulting data.

4. GENERAL REQUIREMENTS

MSFC flight hardware projects shall establish a FOD prevention program for all ground operations of mechanical and electrical systems of flight hardware, including the design, development, manufacturing, assembly, repair, processing, testing, maintenance, operation, and checkout of the equipment, planned and implemented using a continual improvement approach. MSFC Projects or laboratories that design, assemble, or test hardware that is not for flight but is vulnerable to FOD may establish a FOD prevention program at the discretion of the project or laboratory manager.

4.1 Criteria for FOD Sensitive Hardware.

FOD sensitive hardware shall be identified based on Project identification of hardware criticality and the susceptibility of hardware to FOD entrapment, impact damage, and/or damage from leaks or spills. The following criteria may be applied, at the discretion of the Project, to designate non-flight hardware as FOD sensitive.

4.1.1 Hardware Susceptible to Entrapment.

4.1.1.1 All flight hardware that is susceptible to entrapment of FOD within enclosed volumes that could later be released during operation or pose a potential risk to flight hardware or flight crew shall be designated as FOD sensitive.

4.1.1.2 All flight hardware that is susceptible to entrapment of FOD within the materials of construction, such as solid rocket motor propellants or composite structures, shall also be designated as FOD sensitive.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 17 of 57

4.1.1.3 Non-flight hardware containing enclosed volumes that interface with flight hardware or that may be a source for FOD to migrate to flight hardware may also be designated as FOD sensitive.

4.1.2 Hardware Susceptible to Impact Damage.

Flight hardware structural composite and bonded structures that are determined to be IDS in accordance with MSFC-RQMT-3479 shall be designated as FOD sensitive. Critical metallic flight hardware structures that are susceptible to impact damage and are either not inspectable or would result in an unacceptable loss to the program if damaged may also be designated as IDS and FOD sensitive.

4.1.3 Hardware Susceptible to Leaks and Spills.

Most flight hardware is susceptible, to some extent, to damage caused by leaks and spills. Hardware that is determined by the Project to be highly susceptible to damage caused by leaks and spills may, at the discretion of the Project Manager, be identified as FOD sensitive even when it is not vulnerable to entrapment or impact damage.

4.1.4 Protection of FOD Sensitive Hardware.

FOD sensitive hardware shall be listed in the Project FOD control program document and shall require FOD preventive measures in accordance with this document.

4.2 Project FOD Control Program Elements.

Each flight hardware Project shall develop a written Project FOD control program that includes the following basic elements:

- a. A Project FOD Focal Point.
- b. Identification of FOD sensitive hardware.
- c. Early design consideration for FOD prevention, resistance to damage, foreign object entrapment, etc.
- d. Manufacturing, assembly, test, and operations planning and sequencing to minimize FOD generation and incorporate part protection devices where appropriate.
- e. Designation and control of FOD Sensitive Areas, with access control and control of overhead operations.
- f. Housekeeping to control and eliminate FOD.
- g. Control of tools, hardware, consumables, and personal items.
- h. Control of hazardous material.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 18 of 57

- i. FOD prevention training
- j. Measuring techniques for analysis, trending, and feedback.
- k. Incident investigation, reporting, and “lessons learned”.
- l. Employee awareness and feedback.

4.2.1 Limitation of FOD Control Program Elements.

Some flight hardware items, because of their simplicity or small size, may require only a limited FOD prevention effort to assure that they are FOD-free upon delivery. Hardware items that meet all of the following criteria may be exempted from the requirement for a FOD Control Program:

- a. The hardware item internal and external surfaces are fully inspectable to assure that there is no FOD present before final closeout of the hardware item for flight. This will be true for hardware that contains no internal volume or complex geometry and may be true for hardware items such as avionics boxes that are fully inspectable for FOD entrapment before close out of the avionics box cover.
- b. The hardware item is not susceptible to impact damage in accordance with the above criteria.
- c. The hardware item internal volume is either sealed on closeout or is protected from the introduction of FOD by protective packaging during all subsequent handling, test, and integration operations up to launch.
- d. Protective measures for final inspection for FOD and subsequent packaging to prevent FOD are addressed in the hardware Contamination Control Plan required by NASA-STD-6016.

4.3 MSFC FOD Focal Point.

An MSFC FOD Focal Point shall be designated from within the Environmental Effects Branch (EM50) to coordinate FOD prevention measures at MSFC.

4.3.1 Tasks of the MSFC FOD Focal Point.

The MSFC FOD Focal Point shall:

- a. Administer and maintain the MSFC FOD Measurement, Trending, and Feedback System.
- b. Maintain a list of active FOD Sensitive Areas at MSFC and their designated Site Managers.
- c. Develop and maintain common FOD prevention training materials for MSFC.
- d. Coordinate with Project FOD Focal Points to review FOD operational procedures.
- e. Participate in Project FOD incident investigations where cause and corrective action may have applicability beyond the scope of that project.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 19 of 57

- f. Communicate FOD-related lessons learned from MSFC projects, other NASA Centers, and the aerospace industry.
- g. Maintain this document and the associated Marshall Directive.

5. DETAILED REQUIREMENTS

5.1 Project FOD Focal Point.

Each Project that designs, manufactures, or tests hardware requiring FOD control shall designate a FOD Focal Point responsible for the coordination and implementation of the Project FOD Control Program.

5.1.1 Tasks of the Project FOD Focal Point.

The Project FOD Focal Point shall:

- a. Develop, update, and maintain a written FOD control program document for the Project in accordance with the requirements of this document and as required by NASA-STD-6016 and Project data requirements.
- b. Designate the level of FOD control required for each Project facility (where FOD sensitive hardware is present) based on Project identification of hardware criticality and using the following classifications of FOD Sensitive Areas:
 - (1) **FOD Awareness Area:** An area where FOD sensitive hardware is in place or in transit but there is a low potential for FOD entrapment, FOD migration, or impact damage from foreign objects. This designation may also be used to establish a buffer zone to minimize the risk of FOD migration to an adjacent FOD Control Area or FOD Critical Zone.
 - (2) **FOD Control Area:** An area where FOD sensitive hardware is in place and there is a high potential for FOD entrapment or migration to the hardware or for FOD-caused impact damage.
 - (3) **FOD Critical Zone:** A region within a FOD Control Area that is at the highest risk for potential FOD incidents. Exposure to foreign objects within these areas would potentially cause a system or product failure due to deterioration, malfunction, or damage.
- c. Develop written FOD Control Area agreements (for all Project FOD Control Areas and Critical Zones), in coordination with the corresponding Site Manager, that specify required protocols for personnel, tools controls, and operations, and obtain concurrence of the Site Manager and other affected Directorates/Offices. FOD Awareness Area agreements may also be developed for designated FOD Awareness Areas at the discretion of the Project.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 20 of 57

- d. Perform a FOD risk review, in coordination with the Site Manager and the Facilities Management Office, for facilities containing areas to be designated as FOD Sensitive Areas, and recommend corrective action.
- e. Provide the Project FOD Control Program document and facility FOD Control Area agreements to the MSFC FOD Focal Point for review and approval.
- f. Verify that FOD control signs and, when required, a FOD Control Area agreement are posted at the entrance(s) to designated FOD Sensitive Areas when FOD sensitive hardware is present and that established FOD protocols are being followed.
- g. Coordinate with Logistics Services (AS40) to assure that adequate precautions are included in lifting, handling, and transportation plans to protect FOD sensitive items from damage during logistic operations.
- h. Specify, in coordination with the Site Managers, FOD prevention tools (FOD containers, FOD organizer belt pouches, tethers, stanchions, etc.) to support Project FOD Sensitive Area operations.
- i. Establish FOD training requirements for the Project, tailored from the FOD training program structure and materials provided by EM01, to address specific Project hardware FOD sensitivities.
- j. Develop and provide FOD prevention promotional and awareness materials, at the discretion of the Project.
- k. Ensure that FOD incidents and the results of FOD walk downs and FOD audits are recorded in the MSFC FOD Measurement, Trending, and Feedback system, or an approved equivalent, and report FOD metrics to Project management on a regular basis.
- l. Investigate FOD incidents and recommend corrective action.

5.2 Identification and Protection of FOD Sensitive Hardware.

FOD sensitive hardware, identified in accordance with the criteria in section 4.1, shall be listed in the Project FOD Control Program document, along with the nature of its sensitivity and the required FOD preventive measures in accordance with this document. Development hardware or customer supplied product may be identified as FOD sensitive in the applicable test plan or task agreement/Space Ace Agreement.

5.3 Design Consideration for FOD Prevention.

Reduction of damage potential and elimination of FOD hazards begin with the design process. Early design considerations for flight hardware, FOD sensitive non-flight hardware, and equipment used around FOD sensitive hardware (GSE, test equipment, and manufacturing tooling) shall include:

- a. Identification and elimination or minimization of foreign object entrapment areas.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 21 of 57

- b. Identification and sealing of areas through which a foreign object can migrate.
- c. Use of covers, screens, or barriers over exposed openings when appropriate, e.g., fluid system openings, vents.
- d. Installation of special access panels or ports for inspection and cleanout of foreign objects that could potentially cause damage.
- e. In critical areas, use of blind fasteners that are not prone to leaving debris during installation.
- f. Use of fasteners with self-retaining features within enclosed hardware volumes or to secure high usage access panels.
- g. Location of service points, ground points, and built-in test equipment in areas which are least FOD sensitive.
- h. Use of compatible metals and seals to prevent accelerated deterioration, subsequent failure of seal materials, and the generation of debris.
- i. Use of coatings as a positive seal against entry of minute foreign objects, including dust and water vapor.
- j. Design of openings and vents to minimize traps where water can collect and freeze. Openings should be easily plugged and completely sealed against water when plugged.
- k. Elimination of chafing potential through the design of hardware brackets, special protective material, and special routing.
- l. Provision of screens or other means of foreign object blockage within large supply or drain lines.

5.4 Operations Planning and Sequencing.

Assembly sequencing and manufacturing techniques shall include a clean-as-you-go approach, proper care and use of assembly/maintenance/test equipment, and parts protective devices.

5.4.1 Planning and Sequencing to Preclude FOD

Manufacturing, assembly, test, maintenance, integration, and launch site operations tasks shall be planned and sequenced to preclude foreign object damage, impact incidence, and entrapment of debris or contamination.

5.4.2 Containment and Removal of FOD

Planning paper shall contain processes and procedures for the containment and removal of contamination and debris that is generated during fabrication and assembly operations.

5.4.3 Work Instructions

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 22 of 57

As applicable, the following shall be included in work instructions:

- a. Include FOD Control Area activation dates in integrated management schedules to ensure that the facility is FOD-free and under FOD control before the introduction or exposure of FOD sensitive hardware.
- b. Upon completion of a final machining operation, clean or flush the machined component to assure that it is free of debris and immediately cap or seal exposed openings to deny foreign object entry.
- c. Protect hardware and equipment from splatter accumulation during brazing, soldering, welding, and like operations.
- d. Inspect components and equipment for damage before installation, and repair as necessary; ensure part integrity before installation.
- e. Verify required protective devices (dust covers, temporary seals, cushioning, etc.) are present and properly installed. Items with protective devices missing are to be inspected for FOD, cleaned if necessary and protective devices re-installed.
- f. After fluid and pneumatic system lines and tubing are cut and de-burred, remove debris and other contaminants by cleaning, and then cap ends of the lines.
- g. Inspect for and remove extraneous material as part of the assembly step, conduct a foreign object inspection, and remove debris.
- h. Inspect production tooling (jigs, fixtures, handling equipment, etc.) to assure these are clean, undamaged and free of foreign material before installation and build-up of components or assemblies. Exercise this same care for work stands, ladders, cranes, lifts, special test equipment, etc., which must be placed or used on, in, around or above production hardware to accomplish specific tasks.
- i. Protect sensitive areas and potential FOD entrapment points by using FOD barriers, foam pads, covers, etc. For instance, cover composite structures with protective covers; place pads between a tool and the hardware or assembly.
- j. Impose access controls for physical entry into flight hardware or onto work stands, ladders, lifts, cranes, etc., above flight hardware.

5.5 Designation and Control of FOD Sensitive Areas.

The Project FOD Control Program document shall identify operational areas where FOD sensitive hardware is present as FOD Awareness Areas, FOD Control Areas, or FOD Critical Zones. FOD Awareness Areas, FOD Control Areas, and FOD Critical Zones, based on the sensitivity and criticality of the hardware at each phase of program operations. FOD Critical Zones, which require the most stringent controls, are contained (nested) within FOD Control Areas.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 23 of 57

5.5.1 FOD Control Area Agreement.

The Project FOD Focal Point shall develop a FOD Control Area Agreement for each FOD Control Area and FOD Critical Zone. A recommended template is shown in Appendix A. The MSFC FOD Focal Point (within EM50) maintains the masters for these templates. Similar FOD Area Agreements may be used for FOD Awareness Areas at the discretion of the Project.

5.5.1.1 The start date identified in the FOD Control Area Agreement shall be the date of activation of the area under FOD control.

5.5.1.2 The FOD Area Agreement shall list the required work rules, tailored from the requirements of this document to meet specific project requirements and hardware sensitivities, including:

- a. People: Requirements and restrictions for people entering the area.
- b. Tools: Control methods for tools, consumables, and hardware entering or used in the area.
- c. Operations: Requirements and procedures for daily operation within the area.

A quick reference guide to FOD Sensitive Area work rules is shown in section 6.1.

5.5.1.3 The signed and dated FOD Control Area Agreement shall be kept on file by the Project FOD Focal Point until the FOD Control Area is terminated.

5.5.1.4 The FOD Control Area Agreement shall be coordinated with and approved by the applicable Site Manager and signed by the Facilities Operations & Maintenance (O&M) representative for that building.

5.5.1.5 A copy shall be posted at the entrance to the FOD Sensitive Area.

5.5.1.6 If the FOD Sensitive Area is delineated by ropes and stanchions, the FOD Control Area Agreement shall be posted in a visible location, on one of the ropes or nearby, and next to a FOD Sensitive Area sign.

5.5.2 Access Controls.

FOD Sensitive Areas shall have personnel access controls, established by the Site Manager, to prevent inadvertent access.

5.5.2.1 Where feasible, the entire room, wall-to-wall, should be designated a FOD Sensitive Area, with signs posted and access controlled at the entrance doors.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 24 of 57

5.5.2.2 When wall-to-wall control is not feasible because of co-location of the FOD sensitive operation within an area along with other operations where FOD control would be impractical, the FOD Sensitive Area shall be segregated with stanchions or other barriers.

5.5.2.3 Areas segregated with stanchions or barriers shall include a buffer zone around the FOD sensitive hardware. A 3-foot wide or more buffer zone is recommended.

5.5.2.4 Access Restrictions.

a. FOD Awareness Areas:

- (1) Access to FOD Awareness Areas is not required to be restricted; however, signs, barriers, and other visual cues shall be used to alert personnel that they are entering a FOD Awareness Area. Visitors are permitted with the authorization of the Site Manager.
- (2) Personnel assigned to work in FOD Awareness Areas or expected to access these areas as a part of their assigned duties shall be trained in FOD Awareness.

b. FOD Control Areas:

- (1) Unescorted access to FOD Control Areas shall be restricted to personnel required for processing in those areas and trained in FOD prevention. Visitors are permitted within FOD Control Areas, provided they are escorted by a trained person and comply with the applicable FOD controls for the area visited.
- (2) Visitors shall be limited to numbers that can be supervised without encroaching upon FOD sensitive hardware. Tour groups are not permitted.
- (3) Access doors to FOD Control Areas that encompass an entire room shall be controlled by locks, key cards, or other secure method.
- (4) When feasible, access to rooms containing a localized FOD Control Area shall also be controlled at the access doors.
- (5) Key card access should be restricted to personnel required for hardware processing and required emergency response personnel.

c. FOD Critical Zones

- (1) Access to FOD Critical Zones shall be strictly limited to personnel trained for the specific risks and procedures associated with that FOD Critical Zone and required for the task at hand.
- (2) Visitors shall not be permitted in FOD Critical Zones.
- (3) In an emergency situation, when a technical expert who has not been trained is required to enter a FOD Critical Zone, he or she shall be coached before entry, escorted by the FOD Monitor for that FOD Critical Zone, and comply with the applicable FOD controls for that zone.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 25 of 57

d. FOD escort and access control requirements are waived when emergency response is required in accordance with Marshall Procedural Requirements (MPR) 1040.3, MSFC Emergency Plan, or when an emergency such as a facility pipe break occurs, which presents an imminent hazard to the FOD sensitive hardware.

5.5.2.5 Designated Access Points for FOD Control Areas and FOD Critical Zones.

- a. Designated access control points shall be established for personnel entry for each FOD Control Area and FOD Critical Zone.
- b. A FOD control supply station shall be established at the access point.
- c. The FOD control supply station shall include a copy of the FOD Control Area Agreement, tool control logs, and personnel entry/exit logs as specified in the area operating document, and required FOD supplies for that area such as tool tethers, eyeglass retainers, tape for jewelry, FOD personal organizer packs, and FOD collection bags.

5.5.2.6 Control of Access to Overhead Areas.

- a. Control mechanisms shall be established for access to bridge cranes and utility areas directly overhead of FOD sensitive hardware to limit the opportunity for personnel operating in these areas to create a FOD hazard to hardware below. Access to the roof directly overhead of a FOD Sensitive Area may be required to be controlled when warranted by the configuration or condition of the roof and the sensitivity of the hardware below
- b. Control mechanisms for access to overhead areas shall be selected based on the sensitivity and criticality of FOD sensitive hardware below and may include:
 - (1) Signs posted on access doors, ladders, and stairwells noting the presence of a FOD Sensitive Area below.
 - (2) Stanchions blocking access to overhead areas.
 - (3) Locks or key card access restrictions.
 - (4) Tamper-evident integrity seals or lock-out/tag-out seals on access doors.
 - (5) Facility O&M orders prohibiting overhead facility service or construction activities without prior notification and approval of the FOD Site Manager.

5.5.3 Activation, Suspension, and Termination of FOD Sensitive Areas.

5.5.3.1 Activation of FOD Sensitive Areas.

Prior to activation of a FOD Sensitive Area, the following conditions shall be met:

- a. Within newly constructed or refurbished facilities, all construction debris (including overhead welding slag) shall be removed.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 26 of 57

- b. The facility shall be inspected and cleaned to remove all FOD, to include all overhead or wall-mounted structures, cranes, and utilities that may pose a FOD hazard to the hardware below.
- c. Facility deterioration, such as flaking paint or ceiling leaks, shall be repaired.
- d. A facility FOD risk review shall be performed to identify potential FOD hazards and to plan corrective action.
 - (1) This risk review shall include a physical walk down of the facility.
 - (2) Required participants in the FOD review and walk down include the hardware manager, the FOD Site Manager, the building manager, the Facility Operations project manager for that building, and the Project FOD Focal Point.
 - (3) The following items shall be assessed:
 - (a) Condition of overhead and adjacent building utilities, to include condition and integrity of fire suppression systems, piping, and other potential sources of leaks, drips, and spills.
 - (b) The potential for dripping from overhead condensation.
 - (c) Condition and integrity of roof, doors, windows, cranes, moveable platforms and other systems that may pose a risk to FOD sensitive hardware because of leaks or failure.
 - (d) Identification of previously planned facility maintenance, modifications, or upgrades, to identify those activities that must be completed before FOD Sensitive Area activation or postponed until after FOD Sensitive Area suspension or termination.
 - (e) General cleanliness and condition of surfaces, such as painted items, lubricated mechanisms, overhead cranes, and rafters, which could be a source of FOD during facility use.
 - (f) Risk to program hardware and operations from pest entry (birds, rodents, insects, reptiles, etc.)
 - (4) A recommended checklist for a facility FOD risk review is shown in Appendix B.
 - (5) A list of required corrective actions shall be generated as an output of this review and walk down, with assigned action items.
- e. Corrective actions identified during the facility FOD risk review shall be completed before FOD area activation or accommodations made to ensure that the remaining FOD issues will not create an unacceptable risk to FOD sensitive hardware.
- f. Personnel shall be trained and ready to conform to FOD prevention protocols.
- g. Access controls shall be established and FOD awareness signs posted.
- h. FOD control supplies, required by the FOD Control Area Agreement, shall be available at the designated entrance point.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 27 of 57

- i. Tool controls, including shadowboxes and tracking systems as required, shall be in place.
- j. Access to a FOD Measurement, Trending, and Feedback System shall be available for FOD Monitors to enter data for FOD Control Areas and Critical Zones.
- k. An initial FOD walk down shall be performed by the Site Manager, FOD Monitor, and Project FOD Focal Point to verify that the area is FOD free and ready for operation. A recommended checklist for FOD control area activation is shown in Appendix B.
- l. The FOD Control Area Agreement shall be signed, dated, and posted, as required, indicating that the area is an active FOD Sensitive Area.

5.5.3.2 Suspension of FOD Controls.

A FOD Sensitive Area may be suspended when all FOD sensitive hardware has been removed from the facility or has been packaged to preclude the risk of FOD entrapment or impact damage, if the facility is planned to be reactivated as a FOD Sensitive Area in the near future.

- a. When a FOD Sensitive Area is suspended, the FOD Sensitive Area signs and FOD Control Area Agreement shall be removed or posted as "suspended." Barrier stanchions, floor tape, and awareness posters may be left in place.
- b. Before reactivation of a FOD Sensitive Area that was suspended, a FOD walk down shall be performed to assure that the area is FOD free.
- c. The facility FOD risk review is not required to be repeated.
- d. On reactivation, the FOD Sensitive Area signs and FOD Control Area Agreement shall be re-posted.

5.5.3.3 Termination of FOD Controls.

A FOD Sensitive Area may be terminated when FOD sensitive hardware has been removed from the facility or has been packaged to preclude the risk of FOD entrapment or impact damage.

- a. When a FOD Sensitive Area is terminated, the FOD Sensitive Area signs and FOD Area Agreement shall be removed.
- b. Barrier stanchions, floor tape, FOD posters, and other FOD control visual cues shall be removed.

5.5.4 FOD Awareness Area Operations.

FOD Awareness Areas are established to protect sensitive hardware that is in place or in transit but for which the potential for FOD entrapment or migration is low and the risk of impact damage from foreign objects is low during planned project operations.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 28 of 57

- a. FOD Awareness Areas shall be clearly marked at entrances or on barrier stanchions with FOD Awareness Area signs. Awareness signs such as “Clean-As-You-Go” are recommended.
- b. Housekeeping and clean-as-you-go standards shall be strictly enforced.
- c. Eating and drinking shall not be allowed. This includes snacks, gum, bottled water, and smokeless tobacco. Food and drink may be present provided they are contained in spill-proof containers and are not opened in the FOD Awareness Area.
- d. Operations above FOD sensitive hardware shall be approved by the FOD Site Manager and controlled via tethers and other precautions to minimize the potential for spills or dropped items.
- e. Personnel assigned to work in or have recurring access to the FOD Awareness Area shall have Safety, Health and Environmental (SHE) 415, Foreign Object Debris Awareness Training.

5.5.5 FOD Control Area Operations.

FOD Control Areas are established to protect FOD sensitive hardware where there is a high potential for FOD entrapment or migration to the hardware or for FOD-caused impact damage.

- a. FOD Control Areas shall be clearly marked at entrances with FOD Control Area signs and copies of the signed FOD Control Area Agreement. FOD awareness media such as “Clean-As-You-Go” posters are recommended.
- b. Housekeeping and clean-as-you-go standards shall be strictly enforced.
- c. Food and drinks shall not be allowed. This includes snacks, gum, bottled water, and smokeless tobacco.
- d. Personal items shall be controlled in accordance with section 5.7.
- e. Tools shall be limited to those items required in accordance with written manufacturing instructions, test instructions, facilities maintenance instructions, or other written work authorizations.
- f. Tools, small parts, and shop consumables shall be controlled in accordance with section 5.8.
- g. No loose items above the waist shall be permitted.
- h. No loose items shall be permitted anywhere on the body when working overhead of FOD sensitive hardware.
- i. Personnel assigned to the FOD Control Area shall have SHE 416, Foreign Object Debris Prevention Training.
- j. Each FOD Control Area shall have an assigned FOD Monitor and FOD Monitor Alternate, as a minimum, who have completed SHE 417, Foreign Object Debris Monitor Training.
- k. FOD walk downs shall be performed at the beginning of each shift during which project operations are planned and the results recorded in the FOD Database.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 29 of 57

5.5.6 FOD Critical Zone Operations.

FOD Critical Zones are established within FOD Control Areas where FOD sensitive hardware is at the highest risk for potential FOD incidents. Within these zones, damage may be caused by dropping of items from elevated stands or work areas onto IDS hardware. Damage may also result from misplacement or migration of small parts or FOD into an enclosed space where detection or retrieval may be difficult. Significant enclosed spaces where personnel entry is required and work stands over or adjacent to complex entrapment-sensitive or IDS assemblies are designated as FOD Critical Zones.

- a. FOD Critical Zones shall be clearly marked at the entrance to the stand or the work zone with FOD Critical Zone signs and a copy of the signed FOD Critical Zone Agreement. FOD awareness media are not placed within FOD Critical Zones.
- b. "Clean-as-you-go" standards shall be strictly enforced.
- c. Small parts and shop consumables shall be counted and kitted before entering the FOD Critical Zone.
- d. A "sponge count" procedure shall be used for all small parts and shop consumable items, including parts that are cut to fit, in accordance with section 5.8.5.1.
- e. Food and drinks shall not be allowed. This includes snacks, gum, bottled water, and smokeless tobacco.
- f. Personal items shall be controlled in accordance with section 5.7. No loose items are permitted anywhere on the body.
- g. Tools, parts, and expendable materials shall be limited to those items required in accordance with written MANUFACTURING instructions, test instructions, facility maintenance instructions, or other written work authorizations.
- h. Tools, parts, and shop supplies shall be controlled in accordance with section 5.8.
- i. FOD Critical Zones shall have a controlled entry station where tools, parts, and expendable materials are logged in and out.
- j. Personnel assigned to the FOD Critical Zone shall have SHE 416, Foreign Object Debris Prevention Training, and SHE 418, Foreign Object Debris Critical Zone training.
- k. The FOD Monitor for the FOD Control Area containing the FOD Critical Zone shall monitor entrance and exit controls from the FOD Critical Zone.
- l. A FOD walk down or visual sweep shall be performed upon entry and exit and the results recorded in the FOD Database.

5.5.7 FOD Control Signage.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 30 of 57

5.5.7.1 Signs shall be posted at entrances to FOD Awareness Areas, FOD Control Areas, and FOD Critical Zones that clearly indicate the level of control.

5.5.7.2 In addition, awareness signs and media shall also be posted to remind workers and visitors of the requirement for FOD prevention.

5.5.7.3 The following standard FOD images shall be used:

- a. Figure 1, No FOD Logo, is a recognized logo¹ used for FOD control in the United States and should be used on all FOD media.



Figure 1. No FOD Logo

- b. FOD Awareness Areas shall be identified by a blue diamond as shown in Figure 2 below.

¹ National Aerospace FOD Prevention Inc., <http://nafpi.com/>

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 31 of 57



Figure 2. FOD Awareness Area Logo

c. FOD Control Areas shall be identified by a yellow “Yield” sign, as shown in Figure 3 below.



Figure 3. FOD Control Area Logo

d. FOD Critical Zones shall be identified by a bold red “Stop” sign, as shown in Figure 4 below.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 32 of 57



Figure 4. FOD Critical Zone Logo

5.5.8 FOD Monitors.

5.5.8.1 Each designated FOD Control Area shall have an assigned FOD Monitor and FOD Monitor Alternate, as a minimum, appointed by the FOD Site Manager. An operator or technician assigned to work in the FOD Control Area will typically be selected to serve as the FOD Monitor. A FOD Monitor is not required in a FOD Awareness Area.

5.5.8.2 The FOD Monitor (or Alternate in the absence of the FOD Monitor) shall:

- a. Lead a walk down of the FOD Control Area at the beginning of the shift to confirm the following items:
 - (1) Area is visually FOD free. Collect any loose FOD found during the walk down and record it, by FOD type, in the FOD Database. Remove or note any equipment, supplies, or facility features that show signs of wear or damage that could create FOD and bring them to the attention of the Site Manager.
 - (2) Tools in designated tool storage areas are all accounted for.
 - (3) FOD control supplies required for the area are available and are in satisfactory condition for use (FOD organizer belt pouches, tool tethers, eyeglass tethers, tape, etc.). Damaged items are to be removed and discarded or tagged for repair.
- b. Report the completion of the FOD walk down and any exceptions noted in the FOD Database and notify the Site Manager if corrective action is required.
- c. Check the FOD training report to verify that personnel entering the FOD Control Area and FOD Critical Zone (if applicable) have had the required training. Arrange for escort of visitors when permitted.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 33 of 57

- d. Familiarize newly trained and assigned personnel with the FOD control tools and supplies specific to the area.
- e. Inform the FOD Site Manager immediately in the event of a lost tool or FOD incident.
- f. For FOD Control Areas containing FOD Critical Zones:
 - (1) Verify that all shop consumables and small parts are counted and kitted before entry into the FOD Critical Zone
 - (2) Verify that tools and eyeglasses are tethered, and remind personnel to remove loose items before entry into the FOD Critical Zone.
 - (3) Verify that sponge count procedures are followed for consumables and cut-to-fit items to assure that no debris is left behind.
 - (4) As the last person exiting the FOD Critical Zone, perform a visual scan upon exiting to verify that no FOD has been left behind.
- g. Perform an end-of-shift tool inventory to verify that all tools have been returned to their designated locations. This inventory may be accomplished by a visual sweep of tool shadowboards and shadowboxes.

5.6 Housekeeping.

FOD Sensitive Areas are to be maintained clean and FOD free. To achieve this objective, the following housekeeping requirements shall be incorporated into daily operations:

- 5.6.1. Employees shall be informed that housekeeping is a part of their job and that compliance with FOD housekeeping protocols will be a part of their performance evaluation.
- 5.6.2. Employee training and daily operations shall incorporate “clean-as-you-go” as a required work ethic to prevent debris from migrating into flight hardware.
- 5.6.3. Floors, aisles, support structures, access platforms, and other facility surfaces shall be cleaned on a routine schedule to maintain good housekeeping standards that enhance FOD elimination.
 - 5.6.3.1 Sweeping, dusting, vacuuming, and other facility cleaning methods shall remove debris in a manner that precludes migration or distribution onto flight hardware or onto work surfaces that could provide a migration path to flight hardware.
 - 5.6.3.2 Cleaning methods that continuously remove debris rather than relocate it, such as filtered vacuum cleaners, externally exhausted house vacuum, and damp wiping, are preferred.
- 5.6.4. Grounds and surfaces on which aerospace vehicles and GSE are transported shall be maintained free of FOD that could cause damage.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 34 of 57

5.6.5. In the refurbishment or maintenance of existing facilities or construction of new facilities, all construction debris shall be removed at the end of each task or at the end of each shift. If applicable, this requirement should be entered into contractual agreements.

5.6.6. FOD prevention considerations shall be included in the design, contracting award, and construction management for projects around or adjacent to flight hardware areas.

5.6.7. The FOD Site Manager shall determine which areas within the FOD Sensitive Area are to be cleaned by project personnel and which areas are to be cleaned by Facilities O&M custodial personnel.

5.6.8. The areas requiring cleaning and the extent of cleaning shall be reviewed with all involved parties (custodial contractor, Facilities O&M representative, and facility operators responsible for cleaning hardware) and agreed upon for FOD Sensitive Areas both in active and suspended states.

5.6.9. Facilities custodial personnel shall not enter FOD Critical Zones.

5.7 Personal Item Control.

Personal items are any items an individual brings into a FOD Sensitive Area that are not identified as required for the manufacturing, test, or quality assurance operation via work instructions. Personal items include clothing, badges, eyeglasses and other personal medical devices, keys, jewelry, office supplies, cell phones, wallets, coins, etc. Personal items shall be controlled within FOD Control Areas, FOD Critical Zones, and during overhead operations in FOD Awareness Areas as specified below to prevent them from becoming FOD.

5.7.1 Storage of Personal Items.

All personal items shall be removed and stored or secured in accordance with the work rules for the specific FOD Sensitive Area.

5.7.1.1 The Project may issue personal FOD organizer pouches, shown in Figure 5, Example of a Personal FOD Organizer Pouch, to safely contain personal items while the employee is in the FOD Sensitive Area. As an alternative to personal FOD organizer pouches, the Project may provide personal lockers, badge boards, or other means to store these items.

5.7.1.2 When used by the Project, pouches shall be made available at a FOD control station near the entrance for use while working in the FOD Control Area or FOD Critical Zone

5.7.1.3 Personal items shall not be placed or stored in tool bags or tool storage locations.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 35 of 57



Figure 5: Example of a Personal FOD Organizer Pouch

5.7.2 Badges.

Identification badges shall not be clipped to shirts or worn on lanyards inside FOD Control Areas. Hanging or loose badges could scratch sensitive hardware or become dislodged. When the personal FOD organizer pouch is used, the NASA identification badge should be placed in the clear window of the pouch where it is clearly visible.

5.7.3 Jewelry.

5.7.3.1 Jewelry shall not be worn in FOD Control Areas and FOD Critical Zones.

5.7.3.2 All removable jewelry shall be removed and may be placed inside the zippered portion of the personal FOD organizer belt pouch. Jewelry that cannot be easily removed may be permitted inside FOD Control Areas at the discretion of the Project FOD Focal Point, provided it does not present a scratch or catch hazard to the hardware within that FOD Control Area.

5.7.3.3 Before entering a FOD Critical Zone, jewelry that cannot be removed shall be taped in place to prevent it from being lost or becoming a scratch or catch hazard.

5.7.3.4 Watches shall be worn only when required by work instructions.

5.7.3.5 Required watches shall be secured to assure that they cannot come loose and cannot become a scratch or catch hazard.

5.7.4 Medical Devices and Personal Protective Equipment.

5.7.4.1 Eyeglasses, safety glasses, required medical devices, and personal protective equipment shall be securely tethered or taped to the individual while in a FOD Control Area or FOD Critical Zone.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 36 of 57

5.7.4.2 Contact Lenses may be prohibited in some FOD Critical Zones, such as inside liquid oxygen tanks.

5.7.4.3 Medical devices that cannot be tethered or secured shall be evaluated for accommodation on a case-by-case basis by the Site Manager and the Project FOD Focal Point.

5.7.5 Clothing Accessories.

5.7.5.1 Accessories attached to clothing, such as cell phones, pagers, key fobs, chains, pins, or all purpose tools, shall not be worn within FOD Control Areas and FOD Critical Zones.

5.7.5.2 Hats shall not be worn except for hoods or snoods issued for control of hair within the work area or required hard hats.

5.7.6 Pockets.

5.7.6.1 Before entering a FOD Control Area, all loose items shall be removed from pockets above the waist.

5.7.6.2 Before entering a FOD Critical Zone, all pockets shall be emptied. The contents may be secured within the zippered compartment of the personal FOD organizer pouch or stowed outside of the FOD Critical Zone.

5.7.6.3 Personal FOD organizer pouches shall not be opened to retrieve items within a FOD Critical Zone.

5.7.7 Shoes.

Street shoes are not permitted to be in direct contact with flight hardware. When personnel are required to step onto or inside a flight article, protective mats shall be used and personnel shall wear approved soft-soled shoes or program-issued shoe covers.

5.7.8 Clean Work Area Apparel.

5.7.8.1 In some FOD Sensitive Areas, Clean Work Area (CWA) apparel will also be required. (Reference MSFC-STD-246.)

5.7.8.2. Pockets in personal clothing shall be emptied as required for the FOD control level before donning CWA apparel.

5.7.8.3 The personal FOD organizer pouch and the CWA apparel shall be worn in accordance with the specific operating instructions for the CWA.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 37 of 57

5.8 Control of Tools, Small Parts, and Shop Consumables.

The objective of a tool and small parts control program is to eliminate damage to hardware from dropped items and entrapment of FOD in flight hardware related to lost tools, small parts, or consumables that are inadvertently left behind or migrate into flight hardware. An effective tool and small parts control program will also reduce the potential for production delays required to search for and remove a dropped or lost item.

5.8.1 Tethers.

Tethers shall be used on elevated work stands, within FOD Critical Zones, or in any other location where a dropped article could result in damage to FOD sensitive hardware or where difficulty in retrieval would result if the tool were dropped.

5.8.1.1 Hand tools shall be tethered to the user.

5.8.1.2 Equipment, tote boxes/bags, and other loose articles shall be tethered or suitably restrained.

5.8.1.3 Tether devices shall be examined regularly to assure that they are in good condition and will not break during use or shed debris.

5.8.1.4 The tether should be a minimum length to preclude or minimize damage from tool swing or impact, should the tool or equipment be dropped or bumped.

5.8.1.5 Tethers shall be approved by the Project FOD Focal Point.

CAUTION: A tether device, if not regularly examined, may itself become FOD. Frayed tether material and lost tether hardware (rings, snaps, etc.) can all become FOD.

5.8.2 Accountability Methods for Tools, Small Parts, and Consumables.

There are numerous methods available to facilitate control and accountability of tools, small parts, and consumables. The Project FOD Focal Point, with the Site Manager, shall establish a tools, small parts, and consumables accountability system for each FOD Control Area or FOD Critical Zone to implement controls, tailored from the following requirements, for the specific required operations.

5.8.2.1 Tool Control and Accounting.

a. All tools used within FOD Sensitive Areas shall be maintained clean and in good working condition.

b. Only those tools required for use within the FOD Control Area shall be stored there.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 38 of 57

- c. Tools shall not be stored inside a FOD Critical Zone.
- d. Tools assigned to and stored within FOD Control Areas shall be recorded in a written record kept at the work site.
 - (1) These tools shall be stored in shadowboxed tool kits or on shadowboards such that tools that are in use or missing are visually apparent.
 - (2) Tools not installed in a fixture shall be returned to the designated storage location at the end of each shift.
 - (3) A chit or other tracking method shall be used to account for tools not returned to the tool storage location at the end of a shift or when removed for repair or calibration.
- e. Tools temporarily brought into a FOD Control Area for use during a shift shall be logged in and out on a tool entry log, identifying the user of the tool and the date and time of entry.
- f. Tools required for use inside a FOD Critical Zone shall be logged at the controlled entry station before entry into the FOD Critical Zone.
 - (1) The log shall include the name of the individual using the tool.
 - (2) The tool shall be visually inspected to assure that it is clean and in good working condition.
 - (3) The tool shall be tethered to the wrist or to a waist belt to preclude accidental dropping.
 - (4) Upon exiting the FOD Critical Zone, the individual using the tool shall log it out and return the tool to the designated storage location.
 - (5) At the conclusion of each work shift or tool operation, the area FOD Monitor shall inspect the tool log and the tool storage area to verify that all tools have been removed from the FOD Critical Zone and returned to their proper storage location.
 - (6) Users should minimize the number of tools taken into FOD Critical Zones to the maximum extent possible.

5.8.2.2 When a tool is broken during use, all pieces of the broken tool shall be recovered and inspected by a FOD Monitor or Quality Assurance (QA) representative to verify that no broken pieces remain in the hardware.

5.8.2.3 If all pieces of a broken tool cannot be located, a Lost Tool/Item procedure shall be initiated in accordance with section 5.12.3.4.

5.8.3 Quality Assurance Stamps, Chits, and Pens.

QA date stamps, inspection stamps, chits, or pens may be stored in personal FOD organizer pouches until required.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 39 of 57

5.8.3.1 The personal FOD organizer belt pouch shall remain closed except when retrieving such an item used to buy off work performance or record required information.

5.8.3.2 The stamp, chit, or pen shall be retrieved carefully, in a location where a dropped item will not fall directly on hardware and may be easily retrieved if dropped.

5.8.3.4 When expected to be used on a recurring basis inside FOD Control Areas or FOD Critical Zones, QA stamps, chits, and pens should be secured to the inspector via a retractable device.

5.8.4 Control of Small Parts and Shop Consumables.

Within FOD Control Areas and FOD Critical Zones, small parts and shop consumables (stock fasteners, wipers, gloves, etc.) shall be controlled to prevent these items from becoming FOD.

5.8.4.1 Only parts and shop consumables required for operations within the FOD Control Area shall be stored there.

5.8.4.2 Small parts and consumables shall be stored in closed bins or storage trays away from FOD sensitive hardware.

5.8.4.3 These items shall not be placed on or in FOD sensitive hardware during use but be held in closed tote trays or tote bags.

5.8.4.4 Small parts and shop consumables pose an increased hazard to hardware within FOD Critical Zones because of the possibility of dropping an item from a height that could damage hardware or dropping an item into an enclosed area where it may be overlooked or may be difficult to retrieve. Parts and consumables shall be controlled and accounted for within FOD Critical Zones using some or all of the following methods:

- a. Small parts to be installed within a FOD Critical Zone shall be counted and kitted within a spill-proof container. Only parts to be installed during that shift or operation should be included in the kit.
- b. Shop consumables shall be counted and logged before kitting for entry into the FOD Critical Zone.
- c. For operations expected to generate debris or used consumables (such as contaminated cleaning wipers) within a FOD Critical Zone, provision shall be made for collection and control of this waste as it is generated. For example, personnel may wear a belt pouch with secure closure to capture process waste.
- d. A "sponge count" shall be performed on all small parts and shop consumables and verified against the kit log upon leaving the FOD Critical Zone to assure that no loose items have been left behind.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 40 of 57

- e. Logs shall be retained with the shop records when verification is required for QA purposes.
- f. Items that are cut to fit, such as cable ties, shall be counted and logged before kitting.
 - (1) As each item is cut, the loose end shall be captured and contained in a FOD capture pouch.
 - (2) Upon leaving the FOD Critical Zone, the captured loose ends shall be counted and reconciled with the number of cut-to-fit items installed.
 - (3) Cutting devices that capture and hold the debris until removed by the operator are recommended.

5.9 Control of Hazardous Material.

5.9.1 Control of Chemicals and Process Fluids.

Cleaning solvents and process fluids, including water, shall be controlled to prevent accidental spillage.

5.9.1.1 Only chemicals specified on the work instructions shall be permitted within FOD Control Areas and FOD Critical Zones.

5.9.1.2 Fluids shall be contained in pre-moistened wipes or in small, unbreakable, spill-proof dispenser bottles commensurate with the specific need to minimize the spill hazard.

5.9.1.3 Dispenser bottles containing fluids shall not be placed directly on flight hardware.

5.9.2 Light Bulbs and Inspection Lamps.

Overhead light bulbs and inspection lamps containing mercury present a potentially serious FOD hazard to flight hardware should they fall and break. Bulbs containing mercury should be avoided when possible. Overhead mercury light bulbs shall not be serviced or replaced while flight hardware is underneath unless capture bags are used to prevent accidental dropping of the bulbs onto hardware.

5.10 Handling and Packaging of FOD Sensitive Hardware.

Written lifting, handling, and moving plans for FOD sensitive hardware shall identify the required protective containers, caps, covers, purges, bagging, and other precautions to be used to protect the hardware during transportation.

5.10.1 Lifting, Handling, and Transportation of FOD Sensitive Hardware.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 41 of 57

5.10.1.1 Logistics shall confer with the Project FOD Focal Point to perform a FOD risk assessment before each type of hardware move to assure that potential FOD sources have been identified and appropriate precautions have been instituted.

5.10.1.2 The FOD risk assessment shall identify the transportation route and consider the equipment and product protection to be used for the move, road conditions, weather conditions and general surroundings.

5.10.1.3 Lifting devices used for the lifting and handling of FOD sensitive hardware shall be designed and controlled in accordance with NASA-STD-8719.9, Standard for Lifting Devices and Equipment, and Marshall Work Instruction MWI 6430.1, Lifting Equipment and Operations.

5.10.1.4 All mechanical lifting operations of IDS items shall require a written lifting and handling procedure.

5.10.1.5 The potential for damage from foreign objects shall be a consideration in Safety Hazard Analyses (SHAs) performed before critical lifts in accordance with MWI 6410.1, Packaging, Handling, and Moving Program Critical Hardware. The SHA should identify requirements for nets, screens, crane hook drip/drop shields, and other protective devices to be incorporated into lifting and handling devices and procedures for critical lifts.

5.10.2 Part Protection and Packaging.

Packaging materials and methods, including temporary covers, must be selected and controlled to assure that they adequately protect the hardware from FOD and do not become FOD themselves. To prevent impact damage and preclude FOD entry during handling, shipment, and storage, the following techniques shall be employed, where applicable:

5.10.2.1 Employees shall be trained to assure compliance with packaging, handling, shipping, and storage requirements.

5.10.2.2 Materials and accessories used in the packaging, handling, shipping, and storage that have intimate contact with the part or assembly shall be free of general contamination.

5.10.2.3 Parts and assemblies shall be packaged in a manner that will preclude any chance of one item making contact with another during normal handling operations.

5.10.2.4 Protective and packaging materials shall be chosen based on their ability to adequately resist shedding of particulate and penetration by tearing or piercing caused by forces either external or internal during normal handling operations.

5.10.2.5 Specific instructions shall be provided for packaging, un-packaging, and handling.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 42 of 57

5.10.2.6 Protective devices (edge protectors, caps, plugs, covers, filters, rub strips) shall be secured to prevent accidental damage or dislodging.

5.10.2.7 Unauthorized removal of protective devices shall be prohibited.

5.10.2.8 Removal of protective devices shall be authorized through written work instructions.

5.10.2.9 When preparing hardware to deliver to the launch site, temporary protective covers and other temporary, non-flight hardware installations shall be controlled in accordance with MWI 8730.2, Temporarily Installed Hardware Control, to ensure that they do not themselves become a source of FOD.

5.11 FOD Awareness and Prevention Training.

A FOD awareness and prevention training program shall be developed and made available, via the System for Administration, Training, and Education Resources for NASA (SATERN), to personnel who are assigned to work in or support FOD Sensitive Areas. MID 5340.1 identifies MSFC organizations that are required to ensure that their personnel are trained in FOD awareness and prevention.

5.11.1 General FOD Training Content.

FOD training courses shall include awareness of FOD entrapment hazards and susceptibility of hardware to impact damage and to leaks and spills.

5.11.2 FOD Awareness Training.

A FOD awareness training course shall be developed and made available to personnel who are assigned to work in FOD Awareness Areas or who occasionally require entry into FOD Sensitive Areas.

5.11.2.1 This course shall include an introduction to the causes and effects of FOD on hardware, FOD prevention approaches, the concept and concerns for IDS hardware, and familiarization with FOD control logos, signs, area agreements, and general work rules.

5.11.2.2 FOD Awareness Training shall be required for personnel assigned to work in FOD Awareness Areas.

5.11.2.3 FOD Awareness Training shall be required for personnel who occasionally require entry into FOD Sensitive Areas.

5.11.2.4 Annual refresher training shall be required.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 43 of 57

5.11.2.5 This course is available in SATERN as SHE 415, Foreign Object Debris Awareness Training.

5.11.2.6 Personnel who complete SHE 416, Foreign Object Debris Prevention Training, are not required to take SHE 415, Foreign Object Debris Awareness Training.

5.11.3 FOD Prevention Training.

A FOD prevention training course shall be developed and made available to personnel who are assigned to work in FOD Control Areas or create written lifting and handling instructions for FOD sensitive hardware.

5.11.3.1 In addition to the concepts introduced in the FOD Awareness Training course, this course shall increase employee awareness to the causes and effects of FOD on hardware, to promote active involvement through specific FOD control techniques, and to stress good work habits and compliance with FOD control work disciplines.

5.11.3.2 This course shall be required for personnel assigned to work in FOD Control Areas.

5.11.3.3 This course shall be required for personnel who create written lifting, handling, and transportation plans or instructions for FOD sensitive hardware.

5.11.3.4 Annual refresher training shall be required.

5.11.3.5 This course is available in SATERN as SHE 416, Foreign Object Debris Prevention Training. This course may be tailored by the Project FOD Focal Point for the specific project, FOD Control Area, and/or audience.

5.11.4 FOD Monitor Training.

A training course shall be developed and made available to personnel assigned to serve as FOD Monitors and as Site Managers for FOD Control Areas.

5.11.4.1 This course shall include instruction in the performance of tasks that are the responsibility of the FOD Monitor. This includes the performance of FOD walkdowns, area monitoring, use of area tool control systems, use of the FOD Database, and procedures for lost tools and FOD incidents.

5.11.4.2 This course shall be required for personnel assigned to serve as FOD Monitors and as Site Managers for FOD Control Areas and FOD Critical Zones.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 44 of 57

5.11.4.3 This course is available in SATERN as SHE 417, Foreign Object Debris Monitor Training. This course should be tailored by the Project FOD Focal Point to address the tool control systems to be used in the specific FOD Control Area.

5.11.4.4 SHE 416, Foreign Object Debris Prevention Training, is a prerequisite for SHE 417, Foreign Object Debris Monitor Training.

5.11.5 FOD Critical Zone Training.

A FOD critical zone training course shall be developed and made available to personnel who are assigned to work in FOD Critical Zones.

5.11.5.1 This course shall address operational procedures and disciplines such as control of tools, consumables, and personal items, and “clean-as-you-go” processes, which are required to protect hardware from FOD damage or entrapment.

5.11.5.2 This course shall be required for personnel assigned to work in FOD Critical Zones and Site Managers of FOD Critical Zones. This includes quality inspectors required to enter the FOD Critical Zone to perform hardware inspections.

5.11.5.3 This course shall be tailored by the Project FOD Focal Point for the specific FOD Critical Zone to address the hardware vulnerabilities, tool and small part control processes, and tailored “clean-as-you-go” techniques applicable to that FOD Critical Zone.

5.11.5.4 This course is available in SATERN as SHE 418, Foreign Object Debris Critical Zone Training.

5.11.5.5 SHE 416, Foreign Object Debris Prevention Training, is a prerequisite for SHE 418, Foreign Object Debris Critical Zone Training.

5.11.6 Training Records.

5.11.6.1 FOD training records for MSFC civil servants shall be recorded in SATERN.

5.11.6.2 FOD training records shall be maintained in accordance with MPR 3410.1, “Training.”

5.11.6.3 FOD training records for contractor personnel that do not use SATERN shall be recorded at the time of training and reported in accordance with the contract statement of work.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 45 of 57

5.12 Measuring and Improving Performance.

Project FOD prevention programs shall provide to both management and workers visibility into problem areas and trends, inspection results, FOD incident reports, and feedback of progress toward achieving the objective of “zero FOD”.

5.12.1 Project FOD Metrics.

The Project FOD Focal Point shall be responsible for the development and reporting of FOD metrics to Project management and to workers in active FOD Sensitive Areas. Methods of providing this information should include the following items:

5.12.1.1 Visibility Charts: Statistical graphics derived from audit or incident data, provided on an isochronic schedule, i.e., weekly or monthly.

5.12.1.2 Trend Analysis: Graphics that show the progress of a FOD Control Area or Project toward the objective of “zero FOD.”

5.12.1.3 Pareto Charts: Reports from areas routinely inspected that show specific problem areas such as type and quantity of FOD found and adherence to FOD walk down schedules.

5.12.1.4 Reports on Lost Item investigations and other FOD incidents, customer comments, concerns, or complaints.

5.12.2 FOD Measurement, Trending, and Feedback.

FOD incidents and the results of FOD walk downs and FOD audits shall be recorded in the MSFC FOD Measurement, Trending, and Feedback System or an approved equivalent to provide computer-based metrics for measuring the performance of MSFC FOD prevention programs.

5.12.2.1 The MSFC FOD Measurement, Trending, and Feedback System, referred to as the FOD Database, is maintained by the M&P Laboratory (EM01) and administered by the MSFC FOD Focal Point. This system, when used to record FOD incidents and FOD found during routine area walk downs, provides metrics for continual improvement as described in MGM 1280.1, Guidance for Continual Improvement, and as required by NAS 412.

5.12.2.2 Metrics automatically generated from the FOD Database include:

- a. Pareto charts of FOD Type Found per location and quantity of FOD Found per location within a specified time period. These charts are used to identify FOD sources and to prioritize efforts to reduce those FOD sources.
- b. Trend charts of Percent No FOD Found and Walk Down Completion Percentage. These charts are used to gauge overall Project adherence to FOD protocols and improvement over time.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 46 of 57

5.12.2.3. Metrics not automatically generated from the FOD Database but that may be generated using Pareto data plotted over time include:

- a. Tracking of specific types of FOD Found to demonstrate progress in source elimination.
- b. Isolation of types of FOD sources, such as operations-generated versus facility-generated debris.

5.12.3 Incident Investigation, Reporting, and Lessons Learned.

All incidents of actual or potential FOD shall be reported and investigated. FOD near-miss events are required to be noted as well as actual mishaps, so that they are considered in future corrective action and process improvements.

5.12.3.1 FOD Incident Response.

- a. When a FOD incident occurs that contacts hardware or may pose a continuing risk (such as a nearby spill), operations should immediately cease and a FOD incident investigation be initiated by the FOD Site Manager to determine the cause.
- b. Cause and corrective action shall be attained in a timely manner to preclude similar occurrences from happening in the future. This is considered “lessons learned.”
- c. Cause may be determined by visual observation, forensic analysis, or by location of the object.
- d. The FOD Site Manager shall determine when the FOD has been adequately removed and recorded and when it is safe to resume operations.
- e. Near-miss FOD incidents, which generally do not warrant a cessation of operations, shall be reported, investigated, and corrective action attained with the same urgency as actual FOD incidents to prevent a recurrence that could result in hardware damage.
- f. Photographs should be taken of the FOD found, before removal if possible, and of visible damage caused by the FOD to aid in incident investigation and documentation.

5.12.3.2 FOD Incident Reporting.

The following are considered FOD incidents and shall be reported to the Project FOD Focal Point on a FOD Incident Report, shown as Appendix C:

- a. Any occasion when a foreign object, liquid, or stain is detected on or in FOD sensitive hardware in a FOD Control Area or FOD Critical Zone, that is not associated with the process actively being performed, and whether or not it has caused damage. Stains that are exempted by drawing or surface treatment process document are not considered FOD. In a FOD Awareness Area, this is reported as a FOD Incident only when the FOD has caused damage or is suspected to have caused damage to the flight hardware.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 47 of 57

- b. Any occasion when a foreign object falls on or impacts IDS hardware in any FOD Sensitive Area or during transportation. Dropped items of no substantial weight, such as fabric cable lacing, are not required to be reported on a FOD Incident Report, provided that they are immediately retrieved.
- c. Items dropped near, but not directly on, IDS hardware; reported on a FOD Incident Report as a near-miss.
- d. Lost tools, small parts, or consumables that come up missing during a tool accountability check or sponge count, if not located within 1 hour of searching.
- e. Chemical or water spills or facility drips within a FOD Control Area or FOD Critical Zone but not directly on hardware; reported on a FOD Incident Report as a near-miss. Within a FOD Awareness Area, chemical or water spills or facility drips that do not contact hardware should be reported on a FOD Incident Report as a near-miss if contact with the FOD sensitive hardware could have caused damage.
- f. Items such as tools, small parts, or facility debris, found in a FOD Control Area other than during a FOD walk down, may be reported in the FOD Database as “stumble on” FOD. “Stumble on” FOD is not reported on a FOD Incident Report; however, recording of this type of FOD in the FOD Database will assist in the tracking and elimination of FOD sources in the facility.

5.12.3.3 FOD Incident Investigation and Corrective Action.

- a. The FOD Focal Point shall investigate all Lost Item Reports and FOD Incident Reports to determine and recommend corrective action to prevent recurrence. FOD Site Managers, FOD Monitors, and area workers should be a part of this process, as well as anyone else who might contribute creative ideas to resolve FOD incidents.
- b. When FOD results in damage or suspected damage to the hardware that leads to a Discrepancy Report or other non-conformance record, the disposition of that report or record shall be recorded on the FOD Incident Report to capture the incident and corrective action as a part of the overall FOD trending and measurement systems.

5.12.3.4 Lost Tool/Item Procedures.

- a. When in a FOD Control Area or FOD Critical Zone, the employee shall notify the FOD Site Manager **immediately** when a tool, shop supply, or personal item is found to be missing.
- b. Employees performing overhead operations in a FOD Awareness Area shall also notify the FOD Site Manager **immediately** when a tool, shop supply, or personal item is found to be missing.
- c. There shall be no disciplinary action taken as long as the lost tool/item is immediately reported, except in the case of repetitive and careless losing of tools or items or when the tool control procedures were intentionally circumvented.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 48 of 57

- d. When a tool is reported lost or missing, work shall stop immediately and a search initiated for the lost item.
- e. If the lost item is not located within 1 hour, a Lost Tool/Item procedure shall be initiated as follows:
- (1) A FOD Lost Tool/Item report (shown in Appendix D) shall be recorded.
 - (2) If the item is noted as missing at the end of a shift, the FOD Lost Tool/Item report shall be initiated and, if possible, resolved before the responsible FOD Site Manager leaves the area.
 - (3) The FOD Site Manager shall interview the individual reporting the lost item to identify the areas the person was working in when the item was lost.
 - (4) If the lost item is a tool found to be missing from a tool storage shadowboard or shadowbox, the FOD Monitor and FOD Site Manager shall ascertain where the tool was likely last used and by whom and interview the likely user(s).
 - (5) The FOD Site Manager shall provide leadership for a search for the lost item.
 - (6) All employees and support personnel in the FOD Control Area shall participate in the search as required.
 - (7) If the location of the missing item is known to be within the hardware but is not immediately retrievable, QA shall be notified to assure that the item is removed as soon as the appropriate recovery tools or methods are available.
 - (8) The FOD Lost Tool/Item report shall remain open until the difficult-to-retrieve item is removed.
 - (9) If the missing item is found in a location where it may have fallen onto and potentially damaged IDS hardware, QA shall be notified and the dropped tool/item procedure initiated as described below.
 - (10) If a lost item is not found after all reasonable efforts have been exhausted, the Project FOD Focal Point shall confer with QA and, if required, Safety, to determine whether the missing item could present a safety hazard.

5.12.3.5 Dropped Tool/Item Procedures.

When IDS hardware is present in a FOD Sensitive Area, tools and small parts dropped onto the hardware may cause unacceptable damage that is not visually apparent.

- a. Dropped items that are suspected or confirmed to have impacted IDS hardware shall be reported on a Foreign Object Debris Incident Report (Appendix C).
- b. QA shall be notified, to determine whether a Discrepancy Report or other non-conformance record is required.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 49 of 57

- c. When an item is dropped near, but not directly on, IDS hardware, a FOD Incident Report shall be made, noting the item as a FOD near-miss.
- d. Any employee shall notify the FOD Site Manager immediately if they hear a noise that indicates that an item may have been dropped or fallen on or near IDS hardware, regardless of the suspected source.
- e. If the source of the dropping noise is not immediately identified, a Lost Tool/Item Procedure shall be initiated by the Site Manager and appropriate risk assessment/corrective action taken.

NOTE: Items dropped on or near high-value hardware or personnel may also require reporting in accordance with MWI 8621.1 or MWI 8715.13. These documents should be referenced for guidance.

5.12.3.6 Drip and Spill Procedures.

Liquid drips and spills are considered FOD and are treated as follows:

- a. Significant leaks or spills shall be wiped up or contained immediately to prevent them from contacting hardware or, if already in contact, from doing further damage. Minor drips or spills in contact with the hardware should also be removed immediately if it is suspected that their continued presence may cause further damage to the hardware.
- b. Drips or spills on hardware shall be noted on a FOD Incident Report whether or not they are required to be reported as a Discrepancy Record (DR). When the chemical nature of the drip or spill is not known or when a cleaning procedure is not identified in the shop planning paper as allowable rework, the contaminant must be reported on a DR.
- c. When an oil drip or a water or chemical spill occurs within a FOD Control Area or FOD Critical Zone but does not contact hardware, it shall be reported on a FOD Incident Report as a near-miss.
- d. The source of the drip or spill shall be recorded on the FOD Incident Report.
- e. If the source of the drip or spill is not obvious, a sample of the spill shall be preserved (on a wiper, swab, or towel, or in a sample bottle) and provided to the Project FOD Focal Point for analysis.

5.12.3.7 Discrepancy Records.

When FOD is suspected or known to have caused damage to flight hardware or test article hardware, the event will also trigger a DR, MSFC Form 460, in accordance with MPR 8730.3, Control of Nonconforming Product, or the appropriate customer nonconformance documentation for Customer Supplied Product. The Customer's representative shall be notified of the known or suspected damage as required per customer's directions. It should be noted that, while a DR is initiated to flag, investigate, and disposition damage to a hardware item, the purpose of the FOD

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 50 of 57

Incident Report is to flag, investigate, and determine corrective action for the FOD item found on or near hardware to prevent recurrence.

5.12.4 Employee Awareness and Feedback.

Employee awareness and feedback is vital to continual improvement efforts. Workers need specific information about what is wrong before they can be expected to improve processes.

5.12.4.1 FOD Awareness Media.

Signs and banners should be posted at entrances and within FOD Awareness Areas and FOD Control Areas to serve as visual cues and reminders that one is operating within a FOD Sensitive Area. All awareness media should include the “No FOD” logo, shown in section 5.5.7.3.

5.12.4.2 Incentives and Awareness Materials.

FOD prevention incentives such as T-shirts, hats, custom-printed eyeglasses tethers, etc., are recommended to improve FOD awareness and to encourage employee feedback and full participation in FOD prevention activities.

5.12.4.3 Posting of FOD Metrics.

Metrics specific to the FOD Sensitive Area, generated from the FOD Measurement, Trending, and Feedback System, shall be posted in a prominent location within or near the entrance to the FOD Sensitive Area. These metrics should be discussed in employee team meetings where all team members are encouraged to provide suggestions for improvement.

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 51 of 57

6. NOTES

6.1 Quick Reference Guide to FOD Sensitive Area Work Rules

FOD Control Area Work Rules - Quick Reference Guide			
	FOD Awareness Area	FOD Control Area	FOD Critical Zone
Sign			
Training Requirements	FOD Awareness	FOD Prevention FOD Monitor ¹	FOD Prevention FOD Monitor ¹ FOD Critical Zone
Visitors	Permitted with approval of the Site Manager	Permitted with trained escort	Not Allowed
Area Agreement Posted	Optional	Required	Required
FOD Awareness Banners	Recommended	Recommended	Not permitted
Food and Drinks	Not Allowed (except in closed containers)	Not Allowed	Not Allowed
Personal Items	Not restricted ²	No loose items above the waist ²	No loose items permitted
Jewelry	Not restricted ²	Removed or secured	Removed or secured
Eyeglasses	Not restricted ²	Tethered	Tethered
Tool Controls	Not required ²	Controlled, tethered over IDS hardware	Tethered, logged, and tracked
Small Parts control	Not required ²	Controlled	Kitted and counted
Lost Tools/Items	Report	Report Immediately	Report Immediately
Dropped Tools/Items	Report IDS hardware contact immediately	Report Immediately if IDS hardware is present	Report Immediately if IDS hardware is present
Scheduled FOD Walk Downs	Optional	Daily, beginning of shift	Visual inspection on entry and exit of Zone
1. Required for FOD Monitors and FOD Site Managers only.			
2. All loose items shall be tethered, secured, or removed when over IDS hardware.			

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 52 of 57

APPENDIX A – FOD AREA AGREEMENT TEMPLATE

Figure 5, Sample Template for a FOD Sensitive Area Agreement, contains specific area controls for People, Tools, and Operations, which are to be listed by the Project FOD Focal Point before approval and posting. EM50 maintains the master for the FOD Sensitive Area Agreement template shown below and will provide this master to the Project FOD Focal Point on request.

		Enter Project Name Here Foreign Object Debris (FOD) Prevention Program			
FOD CONTROL AREA		FOD Sensitive Area Requirements			
Process: State Operation Here		Location: Enter Building and Room or Zone here		Start Date: Click here to enter a date.	
		FOD Focal Point Project FOD Focal Point		Phone Phone number	
FOD Risk: Specify Impact Damage Susceptible Hardware, FOD entrapment concerns, other risks					
FOD Work Rules for this Area					
PEOPLE		TOOLS		OPERATIONS	
<ul style="list-style-type: none"> • List work rules for operations • 		<ul style="list-style-type: none"> • List work rules for operations • 		<ul style="list-style-type: none"> • List work rules for operations • 	
APPROVALS					
Site Manager: Click here to enter text.		Facility Operations POC: Click here to enter text.		After Hours Emergency Contact: Click here to enter text.	
Phone Click here to enter text.		Phone Click here to enter text.		Phone Click here to enter text.	

Figure 5. Sample Template for a FOD Sensitive Area Agreement

CHECK THE MASTER LIST at <https://repository.msfc.nasa.gov/directives.htm>.
VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 53 of 57

APPENDIX B – RECOMMENDED CHECKLISTS

Checklist for Facility FOD Risk Review (Page 1 of 2)
<p style="text-align: center;">Check Performed by _____ Date _____</p>
<p>HVAC System Condition</p> <p>_____ Operating? _____ Service due while occupied? ___Y___N</p> <p>_____ Condition of air filters: _____ Due for change? ___Y___N</p> <p>_____ General condition: _____ (mold, deteriorating insulation, etc.?)</p> <p>_____ Overhead ductwork integrity: _____</p> <p>_____ System performance parameters verified? (Temperature, humidity, positive pressure, filtration) ___Y___N</p>
<p>Enclosure</p> <p>_____ Ceiling condition:</p> <p>_____ Material and finish intact? ___Y___N</p> <p>_____ Leaks? ___Y___N</p> <p>_____ Floor condition:</p> <p>_____ Floor finish intact? ___Y___N</p> <p>_____ Will floor material survive tooling loads? ___Y___N</p> <p>_____ Walls: _____ Wall finish intact? ___Y___N</p> <p>_____ Doors and windows:</p> <p>_____ Operable? ___Y___N</p> <p>_____ In need of service? ___Y___N</p> <p>_____ Do they seal? ___Y___N</p>
<p>Utilities</p> <p>_____ Electrical utilities working? ___Y___N</p> <p>_____ House vacuum working (if available)? ___Y___N</p> <p>_____ Serviced recently? ___Y___N</p> <p>_____ Hose and tools present? ___Y___N</p> <p>_____ Compressed air working? ___Y___N</p> <p>_____ Quality check on air performed? ___Y___N</p> <p>_____ Other fluid systems working and verified? ___Y___N (nitrogen, water, etc.)</p> <p>_____ Grounding points required? ___Y___N Verify ground integrity ___Y___N</p> <p>_____ Fire suppression system working? ___Y___N Serviced? ___Y___N</p> <p>_____ In-room utilities that are not needed and not verified as working tagged “not in service” ___Y___N</p>

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 54 of 57

Checklist for Facility FOD Risk Review (Page 2 of 2)
<p>Overhead Risks</p> <p>_____ Type of overhead lighting: _____</p> <p>_____ Mercury? ___Y___N</p> <p>_____ Light bulbs changed recently? ___Y___N</p> <p>_____ Verify that all light bulbs are secure and that mercury bulbs cannot fall during room operations ___Y___N</p> <p>_____ Overhead piping? ___Y___N</p> <p>_____ Assess leak risks ___Y___N</p> <p>_____ Service if needed ___Y___N</p> <p>_____ Condition of bridge crane: _____</p> <p>_____ Serviced recently? ___Y___N</p> <p>_____ Clean of FOD? ___Y___N</p> <p>_____ Oil drip hazard? ___Y___N</p> <p>_____ Need for drip umbrella? ___Y___N</p>
<p>General Condition</p> <p>_____ Overall cleanliness of facility: _____ Clean and FOD free? ___Y___N</p> <p>_____ Clutter and equipment belonging to others removed or isolated? ___Y___N</p> <p>_____ Weather integrity of facility: _____</p> <p>_____ Does wind or rain blow in during storms? ___Y___N</p> <p>_____ Does rain accumulate where it will pour in upon opening a door? ___Y___N</p> <p>_____ Pest control: Are there pest hazards that need to be addressed?</p> <p>_____ Birds ___Y___N</p> <p>_____ Rodents ___Y___N</p> <p>_____ Insects ___Y___N</p> <p>_____ Reptiles ___Y___N</p>

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 55 of 57

Checklist for Initial FOD Control Area Activation

Check Performed by _____ Date _____

- _____ Facility FOD Risk Review completed
- _____ Facility FOD Risk Review corrective actions completed
- _____ Facility Maintenance/Housekeeping notified of activation date
- _____ List of FOD-trained personnel on hand:
 - _____ Shop staff, including designated FOD Monitors
 - _____ Engineers
 - _____ Supervision
 - _____ Quality Inspectors
 - _____ Facility Housekeeping and Maintenance
- _____ FOD reporting system in place and ready for use
- _____ FOD awareness media posted
- _____ Tool controls in place
- _____ FOD shop supplies in place:
 - _____ Personal FOD Organizer Belt Pouches
 - _____ FOD collection bags
 - _____ Tool tethers
 - _____ Tape for ring and medical device control
 - _____ Eyeglass tethers
- _____ Signs and barrier stanchions available for placement
- _____ Area visibly FOD-free
- _____ FOD Control Area Agreement ready for signature and posting

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 56 of 57

APPENDIX C – FOREIGN OBJECT DEBRIS (FOD) INCIDENT REPORT

Foreign Object Debris (FOD) Incident Report		Tracking Number:
1. Type of FOD Incident: <input type="checkbox"/> FOD found on hardware <input type="checkbox"/> impact (observed or suspected) <input type="checkbox"/> Near-miss		
2. Date and Time FOD was noticed: mm/dd/yyyy Enter approx. time		
3. FOD Sensitive Area location: Click here to enter TEXT.	4. FOD Site Manager Click here to enter text.	5. Name of person who found the FOD Click here to enter TEXT.
6. Description of FOD found or impact event, and how observed (if applicable): Click here to enter text.		
7. Where the FOD was found or impact observed on the hardware, or with respect to the hardware if a near-miss: (include sketch or photo if possible) Click here to enter text.		
8. Was the incident reported on a Discrepancy Report or Mishap/Close Call Report or Safety Concerns Report (SCR)? (If yes, record report number here.) Click here to enter text.		
9. Source of the FOD found, if known. (If suspected but not certain, note source as "suspected") Click here to enter text.		
Sections below are for FOD Focal Point use		
10. Confirmed Source/Cause of FOD: Click here to enter text.		
11. Is this Source recurring or likely to recur? Click here to enter text.		
12. Proposed Corrective Action: Click here to enter text.		
13. Actual Corrective Action Taken: Click here to enter text.		
14. FOD Focal Point: Click here to enter text.	15. Project/Organization: Click here to enter text.	16. Closure Date: mm/yy/dd

MSFC-STD-3598 FOD Incident Report 7-7-2010

CHECK THE MASTER LIST at <https://repository.msfc.nasa.gov/directives.htm>.
VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE

MSFC Technical Standard EM50		
Title: Standard for Foreign Object Damage/Foreign Object Debris (FOD) Prevention	Document No.: MSFC-STD-3598	Revision: BASELINE
	Effective Date: August 11, 2010	Page 57 of 57

APPENDIX D – LOST TOOL/ITEM REPORT

FOD Lost Tool/Item Report		Tracking No:
1. Type of Item Lost: <input type="checkbox"/> Tool <input type="checkbox"/> Hardware Piece Part <input type="checkbox"/> Shop Supply Item <input type="checkbox"/> Other		
2. Date and Time Item was noted as missing: mm/dd/yy Enter time or shift here		
3. FOD Sensitive Area location: Click here to enter text	4. FOD Site Manager Click here to enter text.	5. Person reporting missing item: Click here to enter text
6. Description of Lost Item: (Include part number or tool serial number if known) Click here to enter text.		
7. How was the lost item identified as missing? (shadowbox, part log, missing from personal FOD organizer pack, etc.) Click here to enter text		
8. Describe search effort that was performed to locate the lost item, and locations searched: Click here to enter text.		
9. Was the item located? Click here to enter text. (If yes, report where found.)		
Sections below are for FOD Focal Point use		
10. Assurance that lost item is not entrapped in hardware: (if not found) Click here to enter text.		
11. Proposed Corrective Action to prevent recurrence: Click here to enter text.		
12. Actual Corrective Action Taken: Click here to enter text		
13. FOD Focal Point: Click here to enter text.	14. Project/Organization: Click here	15. Closure Date: mm/dd/yy

MSFC-STD-3598 Lost Tool/Item Report Form 7-7-2010

CHECK THE MASTER LIST at <https://repository.msfc.nasa.gov/directives.htm>
VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE

**MPD 5340.1
BASELINE-1**

**EFFECTIVE DATE: November 22, 2010
EXPIRATION DATE: November 22, 2015**

MARSHALL POLICY DIRECTIVE

ED01

FOREIGN OBJECT DAMAGE/FOREIGN OBJECT DEBRIS PREVENTION OPERATIONS

With Change 1 (9/27/13)

**CHECK THE MASTER LIST at
<https://repository.msfc.nasa.gov/directives/directives.htm>
VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE**

(Amendment 3)

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 2 of 13

DOCUMENT HISTORY LOG

Status (Baseline/ Revision/ Change Canceled)	Document Revision/ Change	Effective Date	Description
Baseline		11/22/2010	
Change	1	9/27/2013	On 9/27/13, at the request of the OPRD, an administrative change was made to remove MPR 4000.1 because it has been cancelled.

**CHECK THE MASTER LIST at <https://repository.msfc.nasa.gov/directives/directives.htm> VERIFY THAT
THIS IS THE CORRECT VERSION BEFORE USE**

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 3 of 13

1. PURPOSE

- a. This Marshall Policy Directive (MPD) establishes policy and related requirements for Foreign Object Damage/Foreign Object Debris (FOD) Prevention for facilities owned or operated by Marshall Space Flight Center (MSFC) as allowed by NPR 1400.1, "NASA Directives Procedural Requirements."
- b. This MPD establishes policy and related requirements to ensure functional activities are performed under controlled conditions, including provision for the prevention, detection, and removal of foreign objects, as required by MPD 1280.1, "Marshall Quality Management System Manual."
- c. This MPD establishes policy for Center operations necessary to support Project FOD prevention programs, when established for all ground operations of mechanical and electrical systems of flight hardware in accordance with NASA-STD-6016, "Standard Materials and Processes Requirements for Spacecraft."

2. APPLICABILITY

- a. This MPD applies to Center personnel, programs, projects, and activities, including contractors and resident agencies to the extent specified in their respective contracts or agreements. ("Contractors," for purposes of this paragraph, include contractors, grantees, Cooperative Agreement recipients, Space Act Agreement partners, or other agreement parties.)
- b. This MPD applies to Michoud Assembly Facility (MAF) as defined per MAF Foreign Object Debris (FOD) and Contamination Control Program, AS60-OI-031.
- c. This MPD applies to Project Offices and the Engineering Directorate that design, test, or manufacture FOD sensitive hardware.
- d. This MPD applies to Directorates/Offices that perform work in facilities that have been identified by a Project Office or by the Engineering Directorate as FOD Sensitive Areas.
- e. This MPD applies to Directorates/Offices that lift, handle, or transport hardware that has been identified as FOD sensitive.

3. AUTHORITY

- a. NPR 1400.1, "NASA Directives Procedural Requirements"
- b. MPD 1280.1, "Marshall Quality Management System Manual"

4. APPLICABLE DOCUMENTS

- a. NPR 1441.1, "NASA Records Retention Schedules (NRRS)"

CHECK THE MASTER LIST at <https://repository.msfc.nasa.gov/directives/directives.htm> VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 4 of 13

- b. MPR 1440.2, "MSFC Records Management Program"
- c. MPR 3410.1, "Training"
- d. MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention"
- e. NAS 412, "Foreign Object Damage/Foreign Object Debris (FOD) Prevention"
- f. NASA-STD-6016, "Standard Materials and Processes Requirements for Spacecraft"
- g. AS60-OI-031, "MAF Foreign Object Debris (FOD) and Contamination Control Program"

5. REFERENCES

See Attachment A.

6. DEFINITIONS

6.1 Flight Hardware – Any hardware that is intended to fly in, or is part of, Shuttle Transportation System, the Crew Launch Vehicle or Cargo Launch Vehicle space transportation systems or some other flight system.

6.2 FOD Incident – Any occasion when a foreign object, liquid, or stain is detected on or in FOD sensitive hardware, whether or not it has caused damage. Hardware surface variations, appearing as stains, allowed by drawing or surface treatment process document, are not FOD and such detection is not a FOD incident.

6.3 FOD Measurement, Trending, and Feedback System – A computer-based system designed for the recording and tracking of FOD incidents and the results of FOD walk downs for the purpose of providing feedback and continual improvement.

6.4 FOD Monitor – An individual in the FOD Sensitive Area who is designated to promote FOD awareness, check for potential FOD hazards, work with the proper personnel/management to correct discrepancies, and lead FOD walk downs to make observations of the specified areas concerning FOD.

6.5 FOD Prevention Program – A documented program or process used to assure a FOD-free product and to minimize program economic impacts due to FOD incidents.

6.6 FOD Sensitive Area – A facility where FOD sensitive hardware is in place or in transit and specified FOD prevention methods are applied. Classification levels of FOD Sensitive Area are described in MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention," are FOD Awareness Area, FOD Control Area, and FOD Critical Zone.

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 5 of 13

6.7 FOD Sensitive Hardware – An item of equipment or a part of flight hardware that is considered mission essential and may be susceptible to entrapment of foreign objects, damage from foreign object impact, or damage from leaks and spills. Development test hardware, ground support equipment (GSE), special test equipment, fixtures, tooling, and jigs may also be identified as FOD sensitive hardware where FOD may degrade the asset’s required safety or performance characteristics or may create a migration path for FOD entry to flight hardware. Includes Impact Damage Susceptible (IDS) items.

6.8 Foreign Object Debris – A substance, debris, or article alien to a vehicle or facility, which would potentially cause damage. Examples include metal shavings, wire clippings, construction debris, dropped tools or fasteners, oil drips, and water spills. Flight piece parts can be FOD if they are dropped or lost in flight hardware where they do not belong.

6.9 Foreign Object Damage – Any damage attributed to a foreign object that can be expressed in physical or economic terms, which may or may not degrade the product’s required safety and/or performance characteristics.

6.10 Impact Damage – The injury or harm inflicted by impingement of another object (i.e., a dropped tool, hail, or runway debris) upon the hardware in question or by bumping or striking between the hardware in question and another object (i.e., a support cradle or building) during handling or lifting of the hardware.

6.11 Impact Damage Susceptible – Any item determined to be susceptible to impact damage that may degrade the product’s required safety and/or performance characteristics. Examples are composite and bonded primary structures determined to be IDS accordance with MSFC-RQMT-3479, “Fracture Control Requirements for Composite and Bonded Vehicle and Payload Structures” and susceptible metallic structures identified by a Project.

6.12 Mission Essential – An item of equipment or part for which the lack of immediate issue on call, at the demand source, would adversely affect program/project schedules, safety, or reliability.

6.13 Marshall Lead Representative (MLR) – The senior MSFC person, who by assignment or by virtue of position, has responsibility for the use and control of MSFC product and Customer Supplied Product (i.e., Director of the MSFC lead organization, systems engineer, department lead).

6.14 Site Manager – An individual who has primary responsibility for Project hardware processing tasks in a designated operational processing area.

6.15 Walk Down – Physical inspection, by visual sweep, of an assigned area, zone, or operational processing area for FOD and documentation of the resulting data.

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 6 of 13

7. POLICY

7.1 Each Center Project that designs, tests, or manufactures flight hardware shall establish a FOD prevention program in accordance with MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention," to identify FOD sensitive hardware and implement measures to prevent FOD.

7.2 Center Projects shall designate facilities where FOD sensitive hardware is present as FOD Sensitive Areas in accordance with MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention."

7.3 Any Center Office/Director operating facilities designated by a Project as FOD Sensitive Areas shall comply with MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention," or obtain a waiver.

8. RESPONSIBILITIES

8.1 The Engineering Directorate (ED01), Materials & Processes (M&P) Laboratory (EM01), Chief, Environmental Effects Branch (EM50) shall:

8.1.1 Designate an MSFC FOD Focal Point within the Environmental Effects Branch (EM50) to coordinate FOD prevention measures at the Center (both MSFC and MAF) in accordance with MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention," to develop and maintain common FOD prevention training materials and train FOD training personnel as required. The FOD focal point will maintain a list of FOD Awareness Areas and update as necessary to email to designated points of contact.

8.1.2 Establish, maintain, and make available to Center Projects an MSFC FOD Measurement, Trending, and Feedback System, in accordance with the guidelines of NAS 412, "Foreign Object Damage/Foreign Object Debris (FOD) Prevention."

8.2 The Manager of each Project who designs, tests, or manufactures FOD sensitive hardware shall:

8.2.1 Designate a FOD Focal Point for the Project.

8.2.1.1 Project FOD Focal Points shall:

a. Establish and coordinate FOD prevention measures for the Project in accordance with MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention."

b. Develop and report FOD metrics to the MSFC FOD Focal Point, Project management, and active FOD Sensitive Area workers in accordance with the methods prescribed in MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention."

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 7 of 13

8.3 The Manager of a Department/Laboratory/Office managing a project operation in a facility where FOD sensitive hardware is present, or designee, shall:

8.3.1 Designate a FOD Site Manager as point of contact for each FOD Sensitive Area.

8.3.1.1 FOD Site Managers shall:

a. Coordinate with the Project FOD Focal Point to develop and implement the required protocols, in accordance with MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention," for personnel, tool controls, and operations for their FOD Sensitive Area when the Project FOD sensitive hardware is present.

b. Establish personnel access controls for the FOD Sensitive Area to prevent inadvertent access, including security locks, stanchions, integrity seals on sealed access doors, and other methods as appropriate, and including overhead utility areas as required.

c. Designate a FOD Monitor and alternate FOD Monitor, as a minimum, for a facility designated as a FOD Control Area, to perform daily FOD control monitoring tasks and to enter data into the MSFC FOD Measurement, Trending, and Feedback System or approved equivalent.

d. Assure that personnel entering the FOD Sensitive Area have the required FOD training or are escorted as required per the FOD Area Agreement.

e. Arrange for escort (by a trained individual from the organization responsible for operations in the facility) of visitors and MSFC Center Operations personnel and contractors requiring access to the FOD Control Area for non-emergency purposes.

f. Control the lifting and handling of FOD sensitive hardware during operations to prevent FOD entrapment or damage to hardware from FOD impact.

g. Coordinate with the Marshall Lead Representative (MLR), for any Customer Supplied Product with FOD requirements, to assure that the CSP FOD requirements are addressed at MSFC facilities.

8.3.2 Ensure that FOD prevention protocols are enforced in all applicable work activities.

8.3.3 Ensure that FOD prevention controls are incorporated in work area activation planning and work authorizing documents for Project operations.

8.3.4 Ensure that written operational procedures are established (per governing Organizational Issuances) that include appropriate FOD control requirements for each designated FOD Sensitive Area.

8.4 The Manager of a manufacturing or test facility may designate an area as a FOD Sensitive Area, even when no Project hardware is present, when the manufacturing tooling or test

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 8 of 13

equipment itself is FOD sensitive or may entrap FOD that could later migrate to Project FOD sensitive hardware. When such a FOD Sensitive Area designation is established, the manager shall:

8.4.1 Designate a FOD Site Manager to perform the duties of section 8.3.1.1, as applicable, for the designated FOD Sensitive Area.

8.4.2 Ensure that written operational procedures are established (per governing Organizational Issuances) that include appropriate FOD control requirements for the designated FOD Sensitive Area.

8.4.3 Ensure that FOD prevention protocols are enforced in all applicable work activities within the FOD Sensitive Area.

8.4.4 Ensure that FOD prevention controls are incorporated in facility activation planning, facility modification planning, and work authorizing documents for operations within the FOD sensitive facility.

8.4.5 Coordinate with the Project FOD Focal Point to tailor the required FOD control protocols for personnel, tool controls, and operations for the FOD Sensitive Area when Project hardware is present, to assure that both the Project hardware and the FOD sensitive manufacturing tooling or test equipment are adequately protected.

8.5 The Supervisor of personnel assigned to work in FOD Sensitive Areas shall ensure that the required FOD training is incorporated into employees' learning plans.

8.6 The Director, Safety and Mission Assurance Directorate (QD01), or designee, shall:

8.6.1 Consider the potential for damage to components/hardware caused by foreign object entrapment or impact damage in Safety Hazard Analyses.

8.6.2 Provide feedback to the Center FOD Focal Point and the Project on recommended modifications and improvements to the FOD prevention program.

8.6.3 Perform Quality Assurance audits, incorporate (or ensure incorporation of) applicable FOD prevention protocols (as required by the Project) in the review of work/inspection planning and during surveillance of operations, within identified FOD Sensitive Areas.

8.6.4 Support the Project FOD Focal Point in the investigation of FOD incident reports.

8.6.5 Coordinate with the Project FOD Focal Point and applicable Site Managers in the disposition of Discrepancy Reports and Material Review Board (MRB) actions (reference MPR 8730.3) relating to FOD.

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1 Date: November 22, 2010	Revision: Baseline-1 Page 9 of 13

8.6.6 Participate periodically in FOD walk downs; frequency to be established by Project FOD control requirements.

8.6.7 Participate in FOD Sensitive Area activation planning and recommend techniques, methods, and continual improvements to the Project FOD Focal Point and Site Manager.

8.7 The Manager, Environmental Engineering and Occupational Health Office (AS10), or designee, shall:

8.7.1 Coordinate environmental engineering and occupational health functions to be performed within or above FOD Sensitive Areas with the Site Manager to assure that these operations do not create a risk to FOD sensitive hardware.

8.7.2 Ensure that personnel assigned to perform environmental engineering or occupational health functions within FOD Sensitive Areas receive FOD awareness training and are escorted within FOD Control Areas by trained FOD escorts designated by the Site Manager.

8.8 The Manager, Facilities Management Office (AS20), or designee, shall:

8.8.1 Support FOD risk reviews of facilities containing areas, which are to be designated as FOD Sensitive Areas by a Project.

8.8.2 Coordinate Facilities Operations and Maintenance (AS24) operations to be performed within or above FOD Sensitive Areas with the Site Manager to assure that these operations do not create a risk to FOD sensitive hardware. Additional inspections or preventive maintenance may be required for cranes or other overhead facility equipment to identify and remove potential FOD sources. Additional controls on custodial cleaning operations and techniques may also be required.

8.8.3 Ensure that personnel assigned to perform custodial services, maintenance, or repairs within FOD Awareness Areas receive FOD awareness training are permitted to perform their tasks without escort. Custodial personnel assigned to routinely perform services within FOD Control Areas may also require FOD prevention training.

8.8.4 Require that personnel entering FOD Sensitive Areas to perform custodial services, maintenance, or repairs comply with the applicable FOD protocols for that area and are escorted in FOD Control Areas by trained FOD escorts designated by the Site Manager. FOD escort requirements are waived when an emergency such as a facility pipe break occurs that presents an imminent hazard to the FOD sensitive hardware.

8.9 The Manager, Logistics Services Office (AS40), or designee, shall:

8.9.1 Coordinate with the Project FOD Focal Point to ensure that adequate precautions are included in lifting, handling, and transportation plans to protect FOD sensitive items from damage during logistic operations.

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 10 of 13

8.9.2 Ensure that personnel performing transportation, handling, and lifting operations of FOD sensitive hardware are trained for FOD control operations. Contact Environmental Effects Branch (EM50) for training requirements.

8.9.3 Ensure that personnel assigned to perform maintenance or repair of research, development, test and evaluation equipment within FOD Sensitive Areas receive FOD awareness training and are escorted within FOD Control Areas by trained FOD escorts designated by the Site Manager.

8.10 The Manager, Protective Services Office (AS50), or designee, shall:

8.10.1 Ensure that personnel required to enter FOD Sensitive Areas to perform security functions receive FOD awareness training.

8.10.2 Require that Protective Services personnel entering FOD Sensitive Areas for non-emergency purposes comply with the applicable FOD protocols for that area and are escorted within FOD Control Areas by trained FOD escorts designated by the Site Manger. FOD escort and access control requirements are waived when emergency response is required per MPR 1040.3, "MSFC Emergency Plan," or when an emergency such as a facility pipe break occurs that presents an imminent hazard to the FOD sensitive hardware.

8.11 The Manager, MAF Operations Office (SF01), or designee, shall:

8.11.1 Perform Facilities Management, Logistics, and other functions delegated by MSFC as described above for FOD prevention at MAF.

8.11.2 Establish and maintain a MAF FOD Measurement, Trending, and Feedback System in accordance with the guidelines of NAS 412, "Foreign Object Damage/Foreign Object Debris (FOD) Prevention."

8.11.3 Designate a MAF FOD Focal Point to coordinate FOD prevention measures and FOD training at MAF in accordance with MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention."

8.12 MAF Safety and Health shall:

8.12.1 Perform Safety and Environmental Health functions as delegated by MSFC.

8.12.2 Implement local operating instruction, AS60-OI-031, MAF Foreign Object Debris (FOD) and Contamination Control Program, to comply with the appropriate MSFC documents.

8.13 The Manager, Training and Incentives Office (HS40), or designee, shall:

8.13.1 Track FOD training courses as SHE courses in the System for Administration Training and Education Resources for NASA (SATERN).

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 11 of 13

8.13.2 Maintain records of civil service personnel trained for FOD control via the SATERN system in accordance with MPR 3410.1, "Training."

8.13.3 Coordinate with EM50 to schedule instructor-led FOD training courses.

9. RECORDS

9.1 Records shall be maintained in accordance with MPR 1440.2, "MSFC Records Management Program" and NPR 1441.1, "NASA Records Retention Schedules." Records include the following:

9.1.1 Training records – FOD training records shall be maintained in accordance with MPR 3410.1, "Training."

9.1.2 Operating Procedures – Department/Laboratory/Office responsible for operations where FOD sensitive hardware is present shall ensure that operating procedures are maintained in accordance with applicable program/project record retention requirements (i.e., NRRS 8/101-113) or per governing Organizational Issuances.

9.1.3 FOD prevention records – FOD Focal Points shall ensure that FOD prevention records including FOD database metrics, FOD incident reports, and FOD feedback are maintained in accordance with applicable temporary program/project record retention requirements (i.e., NRRS 8/105 or 8/109) or per governing Organizational Issuances.

9.1.4 Audit records – Quality Assurance audit records shall be maintained in accordance with MPR 1280.6, "Management Systems Internal Audits."

9.1.5 Nonconforming Product Records – Quality Assurance records for nonconforming product such as Discrepancy Reports and MRB records shall be maintained in accordance with MPR 8730.3, "Control of Nonconforming Product."

10. MEASUREMENT

10.1 The Project FOD Focal Point shall provide to the MSFC FOD Focal Point (or MAF FOD Focal Point for Project operations at MAF), the Project Manager, and workers:

- a. trend data,
- b. inspection results,
- c. incident/mishap reports, and
- d. feedback.

With the objective of achieving a "zero FOD" in accordance with the methods prescribed in MSFC-STD-3598, "Standard for Foreign Object Damage/Foreign Object Debris Prevention."

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 12 of 13

10.2 Metrics for continual improvement as described in MGM 1280.1, "Guidance for Continual Improvement," and as required in accordance with NAS 412, "Foreign Object Damage/Foreign Object Debris (FOD) Prevention," shall be reported as follows:

10.2.1 The Project FOD Focal Point shall use the MSFC (MAF) FOD Measurement, Trending, and Feedback System, or an approved equivalent, to generate computer-based metrics for measuring the performance of the Project FOD prevention program.

10.2.2 The Project FOD Focal Point shall report FOD prevention metrics and FOD incident reports to the Project Manager on a periodic schedule determined by the Project Manager.

11. CANCELLATION

None.

Original signed by

Robert M. Lightfoot
Director

Marshall Policy Directive ED01		
Foreign Object Damage/Foreign Object Debris Prevention Operations	MPD 5340.1	Revision: Baseline-1
	Date: November 22, 2010	Page 13 of 13

ATTACHMENT A

References

- A.1. MPR 1040.3, "MSFC Emergency Plan"
- A.2. MPR 8730.3, "Control of Nonconforming Product"
- A.3. MGM 1280.1, "Guidance for Continual Improvement"
- A.4. MSFC-RQMT-3479, "Fracture Control Requirements for Composite and Bonded Vehicle and Payload Structures"