

**NNM14508379R**

CONTRACT/RFP

EXHIBIT NUMBER

**J-2**

ATTACHMENT NUMBER

**International Space Station (ISS) Water Processor  
Assembly (WPA) Ambient Catalytic Reactor  
Catalyst Development**

PROJECT/SYSTEM

***DATA PROCUREMENT DOCUMENT***

**Contractor**

CONTRACTOR

**April 2, 2014**

DATE

National Aeronautics and Space Administration					DATA PROCUREMENT DOCUMENT	
<b>DOCUMENT CHANGE LOG</b>					NO. 1504	ISSUE RFP
INCORPORATED REVISIONS					AS OF:	
OUTSTANDING REVISIONS					04-02-14	
					SUPERSEDING:	PAGE:
AUTHORITY (DPD Revision)	PORTION AFFECTED - PAGE NO./NO.				REMARKS	
	INTRO	SGR	DRL	DRD		

## 1.0 INTRODUCTION

1.1 Scope: Subject to the Rights in Data clause, this Data Procurement Document (DPD) sets forth the data requirements in each Data Requirements Description (DRD) and shall govern that data required by the DPD for the contract. The contractor shall furnish data defined by the DRDs listed on the Data Requirements List (DRL) by category of data, attached hereto, and made a part of this DPD. Such data shall be prepared, maintained, and delivered to NASA in accordance with the requirements set forth within this DPD. In cases where data requirements are covered by a Federal Acquisition Regulation (FAR) or NASA FAR Supplement (NFS) clause, that clause shall take precedence over the DPD, consistent with clause FAR 52.215-8.

1.2 DPD Description: This DPD consists of a Document Change Log, an Introduction, a Statement of General Requirements, DPD maintenance procedures, a DRL, and the DRDs.

1.2.1 General Requirements: The general requirements, as specified in paragraph 2.0 of this DPD, prescribe those requirements applicable to the preparation, maintenance, and delivery of data that are better defined in aggregate than in the individual DRDs.

1.2.2 Data Requirements List (DRL): Throughout the performance of the contract, the DRL provides a listing by data category of the data requirements of the DPD.

### 1.2.3 Data Requirements Descriptions (DRDs)

1.2.3.1 Each data requirement listed on the DRL is given complete definition by a DRD. The DRD prescribes content, format, maintenance instructions, and submittal requirements.

1.2.3.2 For the purpose of classification and control, DRDs of this DPD are grouped into the following broad functional data categories:

<u>CATEGORY SYMBOL</u>	<u>DESCRIPTION</u>
CD	Contractual Data
MA	Management
SA	Safety

1.2.3.3 The symbols representing these data categories form part of the prefix of the DRD identification number. The first numerical characters reflect the DPD number.

1.2.3.4 To facilitate the usage and maintenance of the DPD, the DRDs have been sectionalized in accordance with the above data categories.

1.2.3.5 The DRDs are filed by data category and are in alpha-numeric sequence as listed on the DRL page (or pages) that precedes the DRDs.

1.2.4 Document Change Log (DCL): The Document Change Log chronologically records all revision actions that pertain to the DPD.

1.2.5 DPD Maintenance Procedures: Maintenance procedures define the detailed methods to be employed in maintaining the DPD. Detailed maintenance procedures are specified in paragraph 3.0 of this DPD.

1.3 Data Types for Contractual Efforts: The types of data and their contractually applicable requirements for approval and delivery are:

<u>TYPE</u>	<u>DESCRIPTION</u>
-------------	--------------------

1\* All issues and interim changes to those issues require written approval from the requiring organization before formal release for use or implementation.

- 2\* NASA reserves a time-limited right to disapprove in writing any issues and interim changes to those issues. The contractor shall submit the required data to NASA for review not less than 45 calendar days\*\* prior to its release for use. The contractor shall clearly identify the release target date in the "submitted for review" transmittal\*\*\*. If the data is unacceptable, NASA will notify the contractor within 45 calendar days\*\* from the date of submission, regardless of the intended release date\*\*\*. The contractor shall resubmit the information for reevaluation if disapproved. The submittal is considered approved if the contractor does not receive disapproval or an extension request from NASA within 45 calendar days\*\*.
- 3 These data shall be delivered by the contractor as required by the contract and do not require NASA approval. However, to be a satisfactory delivery, the data shall satisfy all applicable contractual requirements and be submitted on time.
- 4 These data are produced or used during performance of the contract and are retained by the contractor. They shall be delivered only when NASA requests in writing and shall be delivered in accordance with the instructions in the request. The contractor shall maintain a list of these data and shall furnish copies of the list to NASA when requested to do so.
- 5 These data are incidental to contract performance and are retained by the contractor in those cases where contracting parties have agreed that formal delivery is not required. However, the Contracting Officer or the Contracting Officer's Representative (COR) shall have access to and can inspect this data at its location in the contractor's or subcontractor's facilities, or in an electronic database accessible to the Government.
- \* Note: Type 1 and Type 2 data may be placed under NASA configuration management control when designated by NASA. CM control requires the contractor to submit Type 1 and Type 2 data updates through Engineering Change Proposals (ECPs).
- \*\* Note: This time limit may be tailored for individual DRDs to meet the requirements of the procuring activity.
- \*\*\* Note: If the contractor does not identify a release target date or if the intended release date is shorter than 45 calendar days from the date of submission, the 45 calendar days review cycle stands (or the tailored Type 2 time limitation for the specific procurement).

## 2.0 STATEMENT OF GENERAL REQUIREMENTS

- 2.1 Applicable/Reference Documents: Documents included as applicable documents in this DPD are the issue specified in the Statement of Work, and form a part of the DPD to the extent specified herein. Applicable documents listed in Item 15.2 of a DRD are applicable only to the preparation of the deliverable documentation described by that DRD.

References to documents other than applicable documents in the data requirements of this DPD may sometimes be utilized, and shall be indicated in 13. Remarks of the DRD. These do not constitute a contractual obligation on the contractor. They are to be used only as a possible example or to provide related information to assist the contractor in developing a response to that particular data requirement.

## 2.2 Subcontractor Data Requirements

- 2.2.1 The contractor shall specify to subcontractors and vendors, if any, the availability source of all data required for the satisfactory accomplishment of their contracts. The contractor shall validate these requirements for documents when appropriate; where the requirement concerns other contractor data, the contractor shall provide his subcontractor or vendor with the necessary documents. All such requests shall be accomplished under the auspices of the contractor.

2.2.2 Reference to subcontractor data in the contractor's responses is permissible, providing the references are adequate and includes such identification elements as title, number, revision, etc., and a copy of the referenced data is supplied with the response document at time of delivery to NASA.

### 2.3 Data Distribution, Format, Data Restriction Marking, and Transmittal

2.3.1 Distribution: Distribution of required documentation shall be in quantities determined by the Contracting Officer. Recipient names and email (if applicable) addresses shall be noted on a separate distribution list to be furnished by the Contracting Officer. The Contracting Officer's letter may include other information pertinent to delivery of data, as required.

#### 2.3.2 Format

2.3.2.1 Electronic Format: Electronic submission of data deliverables is required. Electronic deliverables shall be printable. Data deliverables shall be delivered to NASA in the format specified below unless a specific format is required by a DRD. Data submittals shall consist of a single Adobe Acrobat PDF file and the native format electronic file(s). The preferred native formats include Microsoft Word, Excel, PowerPoint or CAD drawing plot file, as appropriate. Where a single native format file is not possible, multiple files may be integrated into a single ZIP file for submission. The organization of the contents of the integrated ZIP file shall be made readily apparent to the reader, and each file within the integrated product shall be clearly identifiable and traceable within the organization of the integrated product. If files are fragmented, file names shall be labeled logically and contiguously, and the files shall be easily reassembled or merged (e.g. 1 filename, 2 filename, 2a filename, etc.). The software versions shall be confirmed prior to submittals.

2.3.2.2 Hardcopy Format: In addition to the electronic submittal, one hardcopy package of specific data deliverables shall be delivered to the NASA Contracting Officer for the Government contract file. The hardcopy package shall consist of the contractor's Transmittal Memo and one copy of the data deliverable.

#### 2.3.3 Data Restriction Marking

2.3.3.1 Data Restriction Determination and Marking Requirements: The contractor shall determine the data restriction that applies to each data deliverable and mark the data restriction on the data coversheet, or indicate the data restriction in the data transmittal package if the data format precludes identification of data restriction directly in the data. The contractor shall make a determination for each individual data deliverable item, and shall not apply a default or blanket data restriction marking to all data deliverables (e.g., "data may be export restricted"). If NASA does not agree with the contractor applied data restriction, the NASA Contracting Officer shall return the data to the contractor, cancel the markings, or ignore the markings consistent with the procedures set forth in the "data rights" clause(s) contained in the contract.

2.3.3.2 Data Restriction Categories and Marking Statements: The contractor shall consider the following data restriction categories, as a minimum, and utilize specified marking statements.

If data delivered under this contract is subject to the International Traffic in Arms Regulations (ITAR), the data shall contain an "ITAR Notice" as follows:

#### **International Traffic in Arms Regulations (ITAR) Notice**

This document contains information which falls under the purview of the U.S. Munitions List (USML), as defined in the International Traffic in Arms Regulations (ITAR), 22 CFR 120-130, and is export controlled. It shall not be transferred to foreign nationals, in the U.S. or abroad, without specific approval of a knowledgeable NASA export control official, and/or unless an export license/license exemption is obtained/available from the United States Department of State. Violations of these regulations are punishable by fine, imprisonment, or both.

If data delivered under this contract is subject to the Export Administration Regulations (EAR), the data shall contain the "EAR Notice" as follows:

**Export Administration Regulations (EAR) Notice**

This document contains information within the purview of the Export Administration Regulations (EAR), 15 CFR 730-774, and is export controlled. It may not be transferred to foreign nationals in the U.S. or abroad without specific approval of a knowledgeable NASA export control official, and/or unless an export license/license exception is obtained/available from the Bureau of Industry and Security, United States Department of Commerce. Violations of these regulations are punishable by fine, imprisonment, or both.

If the contract contains FAR 52.227-14 *Alternate II*, the "Limited Rights Notice" may be applicable to data (other than computer software) delivered under this contract.

If the contract contains FAR 52.227-14 *Alternate III*, the "Restricted Rights Notice" may be applicable to computer software delivered under this contract.

If the contract contains FAR 52.227-20, the "SBIR Rights Notice" may be applicable to SBIR data delivered under this contract.

If the contract contains NFS 1852.237-73, a sensitive information legend may be applicable to information delivered under this contract.

In accordance with the applicable data clause (e.g., FAR 52.227-14(c) or FAR 52.227-20(c)), the contractor may be able to assert a copyright claim in data delivered under this contract. When claim to copyright is made, the Contractor shall affix the applicable copyright notices of 17 U.S.C. 401 or 402 and acknowledgment of Government sponsorship (including contract number) to the data when such data are delivered to the Government.

**2.3.4 Transmittal**

2.3.4.1 Data shall be transmitted to NASA by email, CD or DVD, hardcopy, or other mechanism agreed to by the Contracting Officer, COR, and Project representatives who are responsible to receive, index, and store the data deliverables.

2.3.4.2 If email is used to transmit data deliverables, the email size shall be 10 Megabytes or less to ensure receipt by the NASA email servers. Encrypted email format shall be used to transmit data which has been judged sensitive by the contractor (e.g., export controlled, limited rights data, SBIR, restricted computer software, copyrighted, etc.).

2.3.4.3 **Data Transmittal Package:** Each data transmittal package shall include:

- a. Transmittal memorandum that specifies the meta-data below for each data transmittal:
  1. Contract number.
  2. Data Requirements Description (DRD) number.
  3. DRD data type (specified in Item 3 on the DRD).
  4. Submission date or milestone being satisfied.
  5. Document number and revision.
  6. Document title.
  7. File names of all files being delivered; file naming convention shall clearly identify the document being delivered.
  8. Distribution (as defined by the Contracting Officer's letter).
  9. Requested response date.
  10. Contractor assigned data restriction (export controlled, limited rights data, SBIR, restricted computer software, copyrighted, etc.) if not marked on data.

11. NASA Records Retention Schedule (NRRS) number, if applicable (See NPR 1441.1, NASA Records Retention Schedules).
- b. Printable electronic files or hardcopy data.
- 2.3.5 When electronic data deliverables are transmitted directly to the MSFC Repository, the Digital Asset Manager web interface shall be utilized. Instructions for electronic data submittals can be found at [http://avmcc.msfc.nasa.gov/repository/repository\\_submittal.php](http://avmcc.msfc.nasa.gov/repository/repository_submittal.php). Document submitters to the Repository must register for a MSFC EDMS (Documentum) user account, through the Identity Management and Account Exchange (idMAX) system. Computer-Aided Design (CAD) drawings shall be submitted in the original native vector, Hewlett-Packard Graphic Language (HPGL), and raster image formats.
- 2.4 **Printing:** All printing, duplicating, or binding shall be in accordance with NFS 1852.208-81, Restrictions on Printing and Duplicating. Printing of formal reports and Type 1 and 2 data in book format shall be in accordance with the following general specifications:
- Method of reproduction – offset/xerography.
  - Finished size – 8 1/2" X 11".
  - Paper – 20-pound opaque bond.
  - Cover – Litho cover stock.
  - Pages shall be printed on both sides; blank pages shall be avoided when possible.
  - Oversize pages shall be avoided when possible, but if necessary shall be folded to 8 1/2" X 11".
  - Binding shall be the most economical method commensurate with the size of the report and its intended use.
- 2.5 **Contractor's Internal Documents:** The contractor's internal documents shall be used to meet the data requirements of this DPD unless a specific format is required by the applicable DRD.
- 2.6 **Document Identification:** Type 1 and 2 documents published by the contractor and submitted in response to the data requirements of this DPD shall be identified within an organized identification numbering system prescribed to NASA by the contractor and, if applicable, as approved by NASA. For all data types, the document number, change legend, date, and title constitute the minimum identification of the specific document and shall appear on the cover and title page. The contract number shall also appear on the cover and title page as separate markings. The originator and organization shall be included on the title page. The document number, change legend, and date shall appear on each page of the document. In the front matter of each document, identify the DPD number and applicable DRD number(s) required for document preparation. Successive issues or revisions of documents shall be identified in the same manner as the basic issue and shall have appropriate change identification. Drawings and ECP's are excluded from the marking provisions of this paragraph. All Type 1 documentation, excluding configuration management requirements, shall be marked "PRELIMINARY PENDING NASA APPROVAL," and once approved shall be reissued with "APPROVED BY NASA" and the date and approval authority annotated on the cover.
- 2.7 **Reference to Other Documents and Data Deliverables in Data Submittals:** All referenced documents shall be made readily available to the cognizant NASA organization upon request. The contractor shall make sure that the references are available to NASA in a manner which does not incur delays in the use of the response document. Reference may be made, within one data submittal, to other data submittals delivered in response to this DPD in those cases where the data required by one DRD may have been delivered by the contractor in response to another DRD. The reference to previously-submitted data shall include the applicable DRD number, data submittal version date, and location within the referenced document.
- 2.8 **Maintenance of Type 1 Document Submittals**
- 2.8.1 Revisions of Type 1 documentation may be accomplished either by individual page revision or by a complete reissue of the document identified in accordance with requirements of 2.6 above, with the exception of drawings (which shall be revised in accordance with contract configuration management requirements).
- 2.8.2 Individual page revisions shall be made as deemed necessary by the contractor or as directed by the Contracting Officer.

- 2.8.3 A Type 1 document shall be completely reissued when, in the opinion of the contractor and/or NASA, the document has been revised to the extent that it is unusable in its present state, or when directed by the Contracting Officer. When complete reissues are made, the entire contents of the document shall be brought up to date and shall incorporate revised pages. All revisions shall be recorded. A revision log shall identify complete reissues except for periodic reports and documents which are complete within themselves as final.
- 2.8.4 Changes of a minor nature to correct obvious typing errors, misspelled words, etc., shall only be made when a technical change is made, unless the accuracy of the document is affected.
- 2.8.5 All revised pages shall be identified by a revision symbol and a new date. Each document shall contain a log of revised pages that identify the revision status of each page with the revision symbol. This list shall follow the table of contents in each document. The line or lines revised on a given page shall be designated by the use of vertical line in the margin of the page, and the change authority shall be indicated adjacent to the change.
- 2.8.6 Contractor Type 1 document shall not be submitted containing pen and ink markups which correct, add to, or change the text, unless schedule problems exist and approval is obtained in writing from the Contracting Officer. Such markups, however, shall not exceed 20 percent of the page content and shall be acceptable provided that the reproduced copies are legible. In addition, hand-drawn schematics, block diagrams, data curves, and similar charts may be used in original reports in lieu of formally prepared art work, as long as legibility of copies is not impaired. Acceptability shall be determined by the Contracting Officer.
- 3.0 DPD MAINTENANCE PROCEDURES
- 3.1 NASA-Initiated Change: New and/or revised data requirements shall be incorporated by contract modification to which the new or revised portion of the DPD shall be appended. The contractor shall notify the Contracting Officer in the event a deliverable data requirement is imposed and is not covered by a DRD, or when a DRD is changed by a contract modification and for which no revision to DPD is appended. In such cases, the contractor shall submit the requested changes to NASA for approval. See paragraph 3.3.1 for change procedures.
- 3.2 Contractor-Initiated Change: Contractor-proposed data requirements or proposed changes to existing requirements shall be submitted to NASA for approval.
- 3.3 DPD Change Procedures
- 3.3.1 Changes to a contractual issue of this DPD shall be identified by NASA on the Document Change Log.
- 3.3.2 The date of the DPD shall be entered under the "as of" block of the Document Change Log. The date that was in the "as of" block shall be entered in the "Superseding" block.
- 3.3.3 The Document Change Log entitled "Incorporated Revisions" shall be changed to indicate the modification number, portions affected, and remarks. All changes to the DPD/DRDs shall be identified in the "Remarks" column.
- 3.4 DPD Reissues
- 3.4.1 When conditions warrant, the DPD shall be reissued by NASA for each contract modification that affects the DPD and shall supersede the existing DPD in its entirety. Reissues shall be issued by contractual direction.
- 3.4.2 All revision dates shall remain in the Date Revised block on all DRDs. The issue symbol, which shall commence with "A" and progress through "Z," shall be entered in the DPD identification block of each DRD page of the DPD.

**International Space Station (ISS) Water Processor Assembly (WPA) Ambient Catalytic Reactor Catalyst Development****Data Requirements List**

<u>DRD</u>	<u>DATA TYPE</u>	<u>TITLE</u>	<u>OPR</u>
CD – Contractual Data 1504CD-001	3	Technology Reports	ZP30
MA – Management 1504MA-001	3	Final Scientific and Technical Report	EE01
1504MA-002	3	Quarterly Status Report	FP10
SA – Safety 1504SA-001	3	Off-site Mishap and Safety Statistics Reports	QD12

## DATA REQUIREMENTS DESCRIPTION (DRD)

1. **DPD NO.:** 1504                      **ISSUE:** RFP
2. **DRD NO.:** **1504CD-001**
3. **DATA TYPE:** 3
4. **DATE REVISED:**
5. **PAGE:** 1/3
  
6. **TITLE:** Technology Reports
  
7. **DESCRIPTION/USE:** Provides NASA with technical information concerning any invention, discovery, improvement, or innovation made by a contractor in the performance of work under this contract for the purpose of disseminating this information to obtain increased use and provide NASA with data to review for possible patentable items.
  
8. **OPR:** ZP30                      9. **DM:** FP10
  
10. **DISTRIBUTION:** Per Contracting Officer's letter
  
11. **INITIAL SUBMISSION:**  
Technology Reporting Plan: Upon Contracting Officer's request.  
Disclosure of Invention and New Technology (NASA Form 1679): Within 2 months of identification of reportable item.  
Interim NASA New Technology Summary Report (NTSR) Form: 12 months from the date of the contract.  
Final NASA New Technology Summary Report (NTSR) Form: Immediately or within three months after completion of contracted work. Final Payment is contingent upon submission of the Final NTSR.
  
12. **SUBMISSION FREQUENCY:**  
Technology Reporting Plan: Upon Contracting Officer's request.  
Disclosure of Invention and New Technology (NASA Form 1679): For each reportable item.  
Interim NASA New Technology Summary Report (NTSR) Form: Every 12 months.  
Final NASA New Technology Summary Report (NTSR) Form: Immediately or within three months after completion of contracted work. Final Payment is contingent upon submission of the Final NTSR.
  
13. **REMARKS:** Copies of NASA Form 1679 and the NASA New Technology Summary Report (NTSR) Form (Interim and Final) may be obtained and/or filled out at: <https://ntr.ndc.nasa.gov/> or <https://invention.nasa.gov/>. These forms may also be obtained from the New Technology Representative (<mailto:Carolyn.E.McMillan@nasa.gov>).
  
14. **INTERRELATIONSHIP:** PWS paragraph 3.1.1
  
15. **DATA PREPARATION INFORMATION:**
  - 15.1 **SCOPE:** The Technology Reports include technical detail as is necessary to identify and fully describe a "Reportable Item". Per NFS 1852.227-70, "Reportable Item" means any invention, discovery, improvement, or innovation of the contractor, whether or not the same is or may be patentable or otherwise protectable under Title 35 of the United States Code, conceived or first actually reduced to practice in the performance of any work under this contract or in the performance of any work that is reimbursable under any clause in this contract providing for reimbursement of costs incurred prior to the effective date of this contract.
  
  - 15.2 **APPLICABLE DOCUMENTS:**  
NFS 1852.227-70                      *New Technology Clause*

## DRD Continuation Sheet

**TITLE:** Technology Reports

**DRD NO.:** 1504CD-001

**DATA TYPE:** 3

**PAGE:** 2/3

**15. DATA PREPARATION INFORMATION (CONTINUED):**

**15.3 CONTENTS:** The Technology Reports consist of:

- a. Disclosure of Invention and New Technology (Including Software): In accordance with NFS 1852.227-70 (e)(2), the disclosure to the agency shall be in the form of a written report and shall identify the contract under which the reportable item was made and the inventor(s) or innovator(s). It shall be sufficiently complete in technical detail to convey a clear understanding, to the extent known at the time of the disclosure, of the nature, purpose, operation, and physical, chemical, biological, or electrical characteristics of the reportable item. The disclosure shall also identify any publication, on sale, or public use of any subject invention and whether a manuscript describing such invention has been submitted for publication and, if so, whether it has been accepted for publication at the time of disclosure. In addition, after disclosure to the agency, the Contractor shall promptly notify the agency of the acceptance of any manuscript describing a subject invention for publication or of any on sale or public use planned by the Contractor for such invention. This reporting requirement may be met by completing NASA Form 1679 (latest revision) in hardcopy or online at: <https://ntr.ndc.nasa.gov/> or <https://invention.nasa.gov/>. Use of this form or the online system is preferred; however, if the form is not used the following information should be provided in order to meet the reporting requirement:
  1. Descriptive title.
  2. Innovator(s) name(s), title(s), phone number(s), and home address(es).
  3. Employer when innovation made (name and division).
  4. Address (place of performance).
  5. Employer status (e.g., Government, college or university, non-profit organization, small business firm, large entity).
  6. Origin (e.g., NASA grant number, NASA prime contract number, subcontractor, joint effort, multiple contractor contribution, other).
  7. NASA Contracting Officer's Technical Representative (COTR).
  8. Contractor/grantee New Technology Representative.
  9. Brief abstract providing a general description of the innovation:
    - (a) Description of the problem or objective that motivated the innovation's development.
    - (b) Technically complete and easily understandable description of innovation developed to solve or meet the objective.
    - (c) Unique or novel features of the innovation and the results or benefits of its application.
    - (d) Speculation regarding potential commercial applications and points of contact (including names of companies producing or using similar products).
  10. Additional documentation.
  11. Degree of technological significance (e.g., modification of existing technology, substantial advancement in the art, major breakthrough).
  12. State of development (e.g., concept only, design, prototype, modification, production model, used in current work).
  13. Patent status.
  14. Dates or approximate time period during which this innovation was developed.
  15. Previous or contemplated publication or public disclosure including dates.
  16. Answers to the following questions (for software only):
    - (a) Using outsiders to beta-test code? If yes, done under beta-test agreement?
    - (b) Modifications to this software continue by civil servant and/or contractual agreement?
    - (c) Previously copyrighted (if so, by whom)?
    - (d) Were prior versions distributed (if yes, supply NASA or Contractor contract)?
    - (e) Contains or is based on code owned by a non-federal entity (if yes, has a license for use been obtained)?
    - (f) Has the latest version been distributed without restrictions as to use or disclosure for more than one year (if yes, supply date of disclosure)?
  17. Name(s) and signature(s) of innovator(s).

**DRD Continuation Sheet**

TITLE: Technology Reports

DRD NO.: 1504CD-001

DATA TYPE: 3

PAGE: 3/3

**15. DATA PREPARATION INFORMATION (CONTINUED):**

- b. Interim NASA New Technology Summary Report (NTSR): This report shall consist of a listing of reportable items for the reporting period or certification that there are none. This report shall also contain a list of subcontracts containing a patent rights clause or certification that there were no such subcontracts. Completion of the Interim NTSR shall satisfy this reporting requirement. Use of the form utilizing the online system at: <https://ntr.ndc.nasa.gov/> or <https://invention.nasa.gov/> is preferred; however an alternate format is acceptable provided all required information is provided.
- c. Final NASA New Technology Summary Report (NTSR): This report shall consist of a comprehensive list of all reportable items for the contract duration or certification that there are none. This report shall also contain a list of subcontracts containing a patent rights clause or certification that there were no such subcontracts. Completion of the Final NTSR shall satisfy this reporting requirement. Use of the form utilizing the online system at: <https://ntr.ndc.nasa.gov/> or <https://invention.nasa.gov/> is preferred; however an alternate format is acceptable provided all required information is provided.
- d. Subcontracts: The contractor shall provide copies of subcontracts containing a patent rights clause upon Contracting Officer's request.

- 15.4 **FORMAT:** The Disclosure of Invention and New Technology (Including Software) report may use NASA Form 1679 (latest version) or the online system at: <https://ntr.ndc.nasa.gov/> or <https://invention.nasa.gov/>, or provide sufficient information to meet the reporting requirement.

The interim and final NASA New Technology Summary Reports may use the NTSR Form (Interim or Final whichever is applicable) utilizing the online system at: <https://ntr.ndc.nasa.gov/> or <https://invention.nasa.gov/>, or provide sufficient information to meet the reporting requirement.

- 15.5 **MAINTENANCE:** None required

**DATA REQUIREMENTS DESCRIPTION (DRD)****DATA REQUIREMENTS DESCRIPTION (DRD)**

1. **DPD NO.:** 1504                      **ISSUE:** RFP
2. **DRD NO.:** 1504MA-001
3. **DATA TYPE:** 3
4. **DATE REVISED:**
5. **PAGE:** 1/1
6. **TITLE:** Final Scientific and Technical Report
7. **DESCRIPTION/USE:** To provide a summary of the results of the entire contract effort, including recommendations and conclusions based on the experience and results obtained.
8. **OPR:** EE01                      9. **DM:** FP10
10. **DISTRIBUTION:** In addition to the final report submitted to the Contracting Officer, the contractor shall concurrently provide to the Center STI/Publication Manager and the NASA Center for AeroSpace Information (CASI) a copy of the letter transmitting the final report to the Contracting Officer. The copy of the letter shall be submitted to CASI at the following address: Center for AeroSpace Information (CASI); Attn: Acquisitions Collections Development Specialist; 7115 Standard Drive; Hanover, Maryland 21076-1320. The copy of the letter to the Center STI/Publication Manager shall be submitted to IS20.
11. **INITIAL SUBMISSION:** 30 days after completion of contract
12. **SUBMISSION FREQUENCY:** One time submittal
13. **REMARKS:**
14. **INTERRELATIONSHIP:** PWS paragraph 3.1.1
15. **DATA PREPARATION INFORMATION:**
- 15.1 **SCOPE:** The Final Scientific and Technical Report summarizes the results of the entire contract work.
- 15.2 **APPLICABLE DOCUMENTS:**

NFS 1835.070	Center for AeroSpace Information – Final Scientific and Technical Report
NFS 1852.235-73	<i>Final Scientific and Technical Reports</i>
MPR 2220.1	Scientific and Technical Publications
NPR 2200.2	<i>Requirements for Documentation, Approval, and Dissemination of NASA Scientific and Technical Information</i>
- 15.3 **CONTENTS:** The Final Scientific and Technical Report shall be prepared and submitted in accordance with NFS 1835.070 and meet the requirements of 1852.235-73. The report shall summarize the results of the entire contract, including recommendations and conclusions based on the experience and results obtained. The report shall include tables, graphs, diagrams, curves, sketches, photographs, and drawings in sufficient detail to explain comprehensively the results achieved under the contract. The report shall include a completed NASA Form 1676 and Standard Form 298 as the final page, per MPR 2220.1, NPR 2200.2 and NFS 1852.235.73(c).
- 15.4 **FORMAT:** The final report shall be of a quality suitable for publication and shall follow the formatting and stylistic guidelines contained in MPR 2220.1 and NPR 2200.2. Electronic formats for submission should be used to maximum extent possible. Information regarding appropriate electronic formats for final reports is available at <http://www.sti.nasa.gov> under "Publish STI – Electronic File Formats". The final page of the report shall be in accordance with NASA Form 1676 and Standard Form 298. The report shall be provided in both hardcopy and electronic versions. Electronic format shall be in accordance with NFS 1852.235-73.
- 15.5 **MAINTENANCE:** None required

## DATA REQUIREMENTS DESCRIPTION (DRD)

- |                         |            |                               |
|-------------------------|------------|-------------------------------|
| 1. <b>DPD NO.:</b> 1504 | ISSUE: RFP | 2. <b>DRD NO.:</b> 1504MA-002 |
| 3. <b>DATA TYPE:</b> 3  |            | 4. <b>DATE REVISED:</b>       |
|                         |            | 5. <b>PAGE:</b> 1/1           |
6. **TITLE:** Quarterly Status Report
7. **DESCRIPTION/USE:** To provide visibility to contractor and MSFC project management of actual and potential problems and progress toward meeting the cost, technical and schedule requirements.
8. **OPR:** FP10                      9. **DM:** FP10
10. **DISTRIBUTION:** Per Contracting Officer's letter
11. **INITIAL SUBMISSION:** 15 days following the end of the first contract quarter after Authority to Proceed (ATP), unless otherwise specified by the Contracting Officer
12. **SUBMISSION FREQUENCY:** 15 days following the end of each quarter
13. **REMARKS:**
14. **INTERRELATIONSHIP:** PWS paragraphs 2.2 and 3.1.1
15. **DATA PREPARATION INFORMATION:**
- 15.1 **SCOPE:** The Quarterly Status Report provides data for the assessment of quarterly cost, technical and schedule progress.
- 15.2 **APPLICABLE DOCUMENTS:** None
- 15.3 **CONTENTS:** The Quarterly Status Report shall contain the following:
- a. Work accomplished for current reporting period, including a report of overall cost, technical and schedule performance.
  - b. Work planned for next reporting period.
  - c. Current problems which impede performance or impact program schedule or cost, and proposed corrective action.
  - d. Other information that assist the Government in evaluating the contractor's cost, technical and schedule performance, e.g., innovative processes and cost reduction initiatives.
- 15.4 **FORMAT:** Contractor format is acceptable.
- 15.5 **MAINTENANCE:** None required

## DATA REQUIREMENTS DESCRIPTION (DRD)

1. **DPD NO.:** 1504                      **ISSUE:** RFP
2. **DRD NO.:** **1504SA-001**
3. **DATA TYPE:** 3
4. **DATE REVISED:**
5. **PAGE:** 1/3
6. **TITLE:** Off-site Mishap and Safety Statistics Reports
7. **DESCRIPTION/USE:** To provide initial and follow-up reporting of mishaps, close calls, serious non-occupational injuries or illnesses, and contractor quarterly safety metrics to the government for contractors that are physically located Off-site or at another NASA Center.
8. **OPR:** QD12                      9. **DM:** FP10
10. **DISTRIBUTION:** Per Contracting Officer's letter
11. **INITIAL SUBMISSION:**
  - a. **Safety Statistics** specific to this contracted effort shall be submitted by the end of the first quarter (calendar year) after Authority to Proceed (ATP) or contract award. The safety statistics submitted by the Contractor shall be for the work performed by the Contractor for the previous quarter. The contractor quarterly safety statistics shall be sent to the MSFC Industrial Safety Branch. (NOTE: If the work is conducted on another NASA Center provide a copy to the Center's Safety Office, if requested.)
    1. Safety statistics shall be reported using MSFC Form 4371 or an equivalent electronic notification system that includes all of the information listed in 11.a.2.
    2. Safety statistics reports shall include: contract number, subcontractors, NAISC codes and the following for the reporting period: number of employees, number of supervisors, hours worked, and number of injuries including days away from work and/or first-aid cases, number of incidents involving NASA related equipment or property damage. (NOTE 1: The safety statistics report includes all work performed in direct support of this NASA or MSFC contracted effort where the Contractor is charging man-hours to NASA or MSFC in direct support of this contract.)
  - b. **Initial reporting for Type A, Type B, and High-Visibility Mishaps/Close Calls** specific to this contracted effort: The initial reporting for these types of mishaps/close calls shall be made as soon as possible after initiating emergency response, but **no later than 1 hour** of occurrence or awareness. The initial notification can be made by one of the following methods:
    1. Call the MSFC Safety Hotline (256) 544-0046. (NOTE: If the work is being performed on another NASA Center also notify that Center's Safety Office within the same timeline.)
    2. Direct input into the NASA Incident Reporting Information System (IRIS) by the Contractor's designated IRIS representative. (See section 11.h.)
  - c. **Initial reporting for Type C, Type D, and Low-Visibility Mishaps/Close Calls** specific to this contracted effort shall be reported to the MSFC Industrial Safety Branch via the MSFC Safety Statistics Report (MSFC Form 4371) that is submitted quarterly.
  - d. **Initial reports for all mishaps/Close Calls** shall provide as much information as possible, but at a minimum include the following: location and time of incident, number of fatalities, number hospitalized, type of damage, estimated cost, brief description, and contact person's name and phone number in accordance with MWI 8621.1 and NPR 8621.1.  
If a contractor employee has a mishap while visiting a MSFC controlled site, they shall report immediately to their site sponsor in addition to other reporting requirements.
  - e. **Initial Reporting of a non-work-related fatality or serious injury or illnesses that occur to contractor employee while working on-site shall be within 24 hours** of occurrence or awareness of injury by:
    1. Notifying the Contracting Officer and MSFC Industrial Safety Branch at (256) 544-0046. If the work is being conducted on another NASA Center also notify that Center's Safety Office within the same timeline.
  - f. **Follow-up reporting:**
    1. **Mishaps (Type A, Type B, Type C, and Type D) Close Calls** specific to this contracted effort: A follow-up report or update shall be entered into IRIS **within 24 hours** after the initial notification or electronic submittal to MSFC Industrial Safety Branch. (NOTE: See NPR 8621.1.)

## DRD Continuation Sheet

**TITLE:** Off-site Mishap and Safety Statistics Reports

**DRD NO.:** 1504SA-001

**DATA TYPE:** 3

**PAGE:** 2/3

**11. INITIAL SUBMISSION (CONTINUED):**

2. **Type A, Type B, and High-Visibility Mishaps/Close Calls with a Mishap Investigation Board Report:** submitted after completion of investigation.
3. **Type A, Type B, and High-Visibility Mishaps/Close Calls with a Corrective Action Plan (CAP):** submitted within the timeline specified by the Investigation Appointing Official upon Endorsing Official approval. (See NPR 8621.1.)
4. **Mishaps Type A, Type B, and High-Visibility Mishaps/Close Calls CAP status/follow up:** 30 days after the CAP has been submitted to and approved by the Investigation Appointing Official, and every 30 days until the CAP is closed.
- g. **Safety Concerns, Hazards, and non-reportable mishaps** for Contractors working on another NASA Center shall be reported to that Center's Safety Office in accordance with the Center's reporting requirements. (See NPR 8715.1.)
- h. **Contractor IRIS Representative:** Contractors shall identify and provide an IRIS representative to enter, track and close Contractor mishaps/close calls into the NASA IRIS. After contract award contact the MSFC S&MA IRIS Administrator or the MSFC Mishap Investigation Program Manager located in the MSFC Industrial Safety Branch for access to the NASA IRIS database.

12. **SUBMISSION FREQUENCY:** Safety Statistics (MSFC Form 4371 or an equivalent electronic submittal) - By the end of the first quarter (calendar year) after Authority to Proceed (ATP) or contract award and submitted quarterly thereafter by the 10<sup>th</sup> day of the month following the end of the quarter to MSFC Industrial Safety Branch. A copy can also be sent to the Center's Safety Office if requested. Mishaps: Monthly (30 day) status/follow-up of the mishap record in the NASA IRIS database and CAP until closed.

13. **REMARKS:** Data type 3 applies to Mishap and Safety Statistics. Government approval/endorsement of Mishap Investigations reports is conducted in accordance with NPR 8621.1 or MWI 8621.1 when requested.

14. **INTERRELATIONSHIP:** PWS paragraph 3.1.1

**15. DATA PREPARATION INFORMATION:**

15.1 **SCOPE:** For the government to be notified by the contractor of all contractor mishaps, close calls, and serious non-occupational injuries or illnesses as required in NPR 8621.1.

15.2 **APPLICABLE DOCUMENTS:**

NPR 8621.1	<i>NASA Procedural Requirements for Mishap and Close Call Reporting, Investigating, and Recordkeeping</i>
MWI 8621.1	<i>Mishap and Close Call Reporting and Investigation Program</i>

15.3 **CONTENTS:** Initial and follow-up mishap reports shall contain all information required by NPR 8621.1 and MWI 8621.1. Mishap and Safety Statistics Reports shall contain the information listed in 11.a.2 and on the MSFC Form 4371 or equivalent electronic format.

15.4 **FORMAT:** The following formats or electronic equivalent shall be submitted:

- a. MSFC Form 4371, "MSFC Contractor Accident and Safety Statistics" or an equivalent electronic notification system that provides all necessary information listed in 11.a.2.
- b. Mishap Investigation Board Report using the format provided in NPR 8621.1.
- c. Additional Information Submittal per MWI 8621.1.

15.5 **MAINTENANCE:** None required

## DRD Continuation Sheet

TITLE: Off-site Mishap and Safety Statistics Reports

DRD NO.: **1504SA-001**

DATA TYPE: 3

PAGE: 3/3

---

15. **DATA PREPARATION INFORMATION (CONTINUED):**

15.6 **DEFINITIONS:** See NPR 8621.1 for NASA Mishap definitions.

Off-site. Work is physically located at a facility or on property that is **not owned or controlled by MSFC**. This is normally considered as a contractor owned facility or property or other NASA Center.

On-site. Work is physically located at MSFC, MAF or on property that is **owned or controlled by MSFC**.